THIS E COPY OF BID DOCUMENT IS FOR INFORMATION AND INSPECTION TO THE PROSPECTIVE BIDDERS. BIDDERS MUST PURCHASE BID DOCUMENT FROM ALTERNATIVE ENERGY PROMOTION CENTER (AEPC) AS INDICATED IN THE BID NOTICE FOR BIDDING.

Government of Nepal

Ministry of Energy, Water Resources and Irrigation ALTERNATIVE ENERGY PROMOTION CENTRE

NEP: South Asia Sub regional Economic Cooperation Power System Expansion Project (SASEC/ADB)

ADB Project No: 44219, Loan No: 3139 NEP (SF), Grant No: 0398NEP (EF)

Bidding Document

for

Procurement

of

Saniveri Uttarganga Mini Hydro Subproject, 998kW

Putha Uttarganga Rural Municipality,

East Rukum District, Nepal

(Package 1- Generation)

PART I Bidding Procedures

Section 1 - Instructions to Bidders (ITB)

Section 2 - Bid Data Sheet (BDS)

Section 3 - Evaluation and Qualification Criteria (EQC)

Section 4 - Bidding Forms (BDF)

Section 5 - Eligible Countries (ELC)

Government of Nepal Ministry of Energy, Water Resources and Irrigation ALTERNATIVE ENERGY PROMOTION CENTRE

NEP: South Asia Sub regional Economic Cooperation Power System Expansion Project (SASEC/ADB)

ADB Project No: 44219, Loan No: 3139 NEP (SF), Grant No: 0398NEP (EF)

Bidding Document for Procurement

of

Saniveri Uttarganga Mini Hydro Subproject, 998 kW

Putha Uttarganga Rural Municipality,

East Rukum District, Nepal

(Package 1- Generation)

Issued on:

Invitation for Bids No.: AEPC/ADB/SASEC/NCB/MHP/08

NCB No: 08

Employer: Alternative Energy Promotion Center (AEPC)

Table of Contents - Summary Description

PART I	BIDDING PROCEDURES	
	Section 1 - Instructions to Bidders (ITB)————————————————————————————————————	
	Section 2 - Bid Data Sheet (BDS) This Section consists of provisions that are specific to each procurement and supplement the information or requirements included in Section 1 - Instructions to Bidders.	2-1
	Section 3 - Evaluation and Qualification Criteria (EQC) This Section contains the criteria to determine the lowest evaluated bid and the qualifications of the Bidder to perform the contract.	3-1
	Section 4 - Bidding Forms (BDF) This Section contains the forms which are to be completed by the Bidder and submitted as part of its Bid.	4-1
	Section 5 - Eligible Countries (ELC) This Section contains the list of eligible countries.	5-1
PART II	REQUIREMENTS	
	Section 6 - Employer's Requirements (ERQ) This Section contains the Specification, the Drawings, Supplementary Information that describe the Works to be procured, the Personnel Requirements, and the Equipment Requirements.	6-1
PART III	CONDITIONS OF CONTRACT AND CONTRACT FORM	S
	Section 7 - General Conditions of Contract (GCC) This Section contains the general clauses to be applied in all contracts. These Conditions are subject to the variations and additions set out in Section 8 (Particular Conditions of Contract).	7-1
	Section 8 - Particular Conditions of Contract (PCC) This Section contains provisions which are specific to each contract and which modify or supplement the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.	
	Section 9 - Contract Forms (COF) This Section contains forms, which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after contract award.	

Section 1: Instructions to Bidders

Table of Clauses

A.	General	1-3
	1. Scope of Bid	1-3
	2. Source of Funds	1-3
	3. Fraud and Corruption	1-3
	4. Eligible Bidders	1-6
	5. Eligible Materials, Equipment, and Services	1-7
В.	Contents of Bidding Document	1-8
	6. Sections of Bidding Document	1-8
	7. Clarification of Bidding Document, Site Visit, Pre-Bid Meeting	1-8
	8. Amendment of Bidding Document	1-9
C.	Preparation of Bids	1-9
	9. Cost of Bidding	
	10. Language of Bid	
	11. Documents Comprising the Bid	
	12. Letters of Bid and Schedules	
	13. Alternative Bids	
	14. Bid Prices and Discounts	
	15. Currencies of Bid and Payment	
	16. Documents Comprising the Technical Proposal	
	17. Documents Establishing the Qualifications of the Bidder	
	18. Period of Validity of Bids	
	19. Bid Security/Bid-Securing Declaration	
	20. Format and Signing of Bid	
D.	Submission and Opening of Bids	
	21. Sealing and Marking of Bids	
	22. Deadline for Submission of Bids	
	23. Late Bids	
	24. Withdrawal, Substitution, and Modification of Bids	
	25. Bid Opening	1-16
E.	Evaluation and Comparison of Bids	1-18
	26. Confidentiality	1-18
	27. Clarification of Bids	
	28. Deviations, Reservations, and Omissions	
	29. Examination of Technical Bids	
	30 Responsiveness of Technical Bid	1-19

	31. Nonmaterial Nonconformities	1-19
	32. Qualification of the Bidder	1-19
	33. Subcontractors	1-20
	34. Correction of Arithmetical Errors	1-20
	35. Conversion to Single Currency	1-20
	36. Domestic Preference	1-21
	37. Evaluation and Comparison of Price Bids	1-21
	38. Abnormally Low Bids	1-21
	39. Unbalanced or Front-Loaded Bids	
	40. Employer's Right to Accept Any Bid, and to Reject Any or All Bids	1-22
	41. Notice of Intention for Award of Contract	1-23
F.	Award of Contract	1-23
	42. Award Criteria	1-23
	43. Notification of Award	1-23
	44. Signing of Contract	
	45. Performance Security	
	46. Bidding-Related Complaints	

A. General

Scope of Bid

- In connection with the Invitation for Bids (IFB) indicated in the Bid Data Sheet (BDS), the Employer, as indicated in the BDS, issues this Bidding Document for the procurement of the Works as specified in Section 6 (Employer's Requirements). The name, identification, and number of contracts of this bidding are provided in the BDS.
- Throughout this Bidding Document, 1.2
 - (a) the term "in writing" means communicated in written form and delivered against receipt;
 - (b) except where the context requires otherwise, words indicating the singular also include the plural and words indicating the plural also include the singular; and
 - (c) "day" means calendar day.

Source of Funds 2.

- 2.1 The Borrower or Recipient (hereinafter called "Borrower") indicated in the BDS has applied for or received financing (hereinafter called "funds") from the Asian Development Bank (hereinafter called "ADB") toward the cost of the project named in the BDS. The Borrower intends to apply a portion of the funds to eligible payments under the contract(s) for which this Bidding Document is issued.
- 2.2 Payments by ADB will be made only at the request of the Borrower and upon approval by ADB in accordance with the terms and conditions of the Financing Agreement between the Borrower and ADB (hereinafter called "Financing Agreement"), and will be subject in all respects to the terms and conditions of that Financing Agreement. No party other than the Borrower shall derive any rights from the Financing Agreement or have any claim to the funds.

3. Fraud and Corruption

- ADB's Anticorruption Policy (1998, as amended to date) requires Borrowers (including beneficiaries of ADB-financed activity), as well as Bidders, Suppliers, and Contractors under ADB-financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, ADB
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - "corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;
 - "fraudulent practice" means any act or omission, including a (ii) misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
 - "coercive practice" means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
 - "collusive practice" means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;

- (v) "abuse" means theft, waste, or improper use of assets related to ADB-related activity, either committed intentionally or through reckless disregard;
- (vi) "conflict of interest" means any situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations;
- (vii) "obstructive practice" means (a) deliberately destroying, falsifying, altering, or concealing of evidence material to an ADB investigation, or deliberately making false statements to investigators, with the intent to impede an ADB investigation; (b) threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to a Bank investigation or from pursuing the investigation; or (c) deliberate acts intended to impede the exercise of ADB's contractual rights of audit or inspection or access to information; and
- (viii) "integrity violation" is any act, as defined under ADB's Integrity Principles and Guidelines (2015, as amended from time to time), which violates ADB's Anticorruption Policy, including (i) to (vii) above and the following: violations of ADB sanctions, retaliation against whistleblowers or witnesses, and other violations of ADB's Anticorruption Policy, including failure to adhere to the highest ethical standard.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the Contract;
- (c) will cancel the portion of the financing allocated to a contract if it determines at any time that representatives of the Borrower or of a beneficiary of ADB financing engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations during the procurement or the execution of that contract, without the Borrower having taken timely and appropriate action satisfactory to ADB to remedy the situation;
- (d) will impose remedial actions on a firm or an individual, at any time, in accordance with ADB's Anticorruption Policy and Integrity Principles and Guidelines, including declaring ineligible, either indefinitely or for a stated period of time, to participate in ADB-financed, -administered, or -supported activities or to benefit from an ADB-financed, -administered, or -supported contract, financially or otherwise, if it at any time determines that the firm or individual has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations; and

Whether as a Contractor, Subcontractor, Consultant, Manufacturer or Supplier, or Service Provider; or in any other capacity (different names are used depending on the particular Bidding Document).

- (e) will have the right to require that a provision be included in bidding documents and in contracts financed by ADB, requiring Bidders, suppliers, and contractors to permit ADB or its representative to inspect their accounts and records and other documents relating to the bid submission and contract performance and to have them audited by auditors appointed by ADB.
- 3.2 All Bidders, consultants, contractors, suppliers, and other third parties engaged or involved in ADB-related activities have a duty to cooperate fully in any screening or investigation when requested by ADB to do so. Such cooperation includes, but is not limited to, the following:
 - (a) being available to be interviewed and replying fully and truthfully to all questions asked;
 - (b) providing ADB with any items requested that are within the party's control including, but not limited to, documents and other physical objects;
 - (c) upon written request by ADB, authorizing other related entities to release directly to ADB such information that is specifically and materially related, directly or indirectly, to the said entities or issues which are the subject of the investigation;
 - (d) cooperating with all reasonable requests to search or physically inspect their person and/or work areas, including files, electronic databases, and personal property used on ADB activities, or that utilizes ADB's Information and Communications Technology (ICT) resources or systems (including mobile phones, personal electronic devices, and electronic storage devices such as external disk drives):
 - (e) cooperating in any testing requested by ADB, including but not limited to, fingerprint identification, handwriting analysis, and physical examination and analysis; and
 - (f) preserving and protecting confidentiality of all information discussed with, and as required by, ADB.
- All Bidders, consultants, contractors and suppliers shall ensure that, in its contract with its sub-consultants, Subcontractors and other third parties engaged or involved in ADB-related activities, such subconsultants, Subcontractors and other third parties similarly undertake the foregoing duty to cooperate fully in any screening or investigation when requested by ADB to do so.
- The Employer hereby puts the Bidder on notice that the Bidder or any Joint Venture partner of the Bidder (if any) may not be able to receive any payments under the Contract if the Bidder or any of its Joint Venture partners, as appropriate, is, or is owned (in whole or in part) by a person or entity subject to applicable sanctions.
- Furthermore, Bidders shall be aware of the provisions of GCC 28.3 and 73.2 (i).

4. Eligible Bidders

- 4.1 A Bidder may be a natural person, private entity, or government-owned enterprise subject to ITB 4.5 – or any combination of them with a formal intent to enter into an agreement or under an existing agreement in the form of a Joint Venture. In the case of a Joint Venture:
 - (a) all partners shall be jointly and severally liable; and
 - (b) the Joint Venture shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the parties of the Joint Venture during the bidding process and, in the event the Joint Venture is awarded the Contract, during contract execution.
- 4.2 A Bidder, and all parties constituting the Bidder, shall have the nationality of an eligible country, in accordance with Section 5 (Eligible Countries). A Bidder shall be deemed to have the nationality of a country if the Bidder is a citizen or is constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country. This criterion shall also apply to the determination of the nationality of proposed Subcontractors or Suppliers for any part of the Contract including related services.
- 4.3 A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to be in a conflict of interest with one or more parties in this bidding process if any of, including but not limited to, the following apply:
 - (a) they have controlling shareholders in common; or
 - (b) they receive or have received any direct or indirect subsidy from any of them; or
 - (c) they have the same legal representative for purposes of this bid; or
 - (d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to material information about or improperly influence the Bid of another Bidder, or influence the decisions of the Employer regarding this bidding process; or
 - (e) a Bidder participates in more than one bid in this bidding process, either individually or as a partner in a Joint Venture, except for alternative offers permitted under ITB 13 of the Bidding Document. This will result in the disqualification of all Bids in which it is involved. However, subject to any finding of a conflict of interest in terms of ITB 4.3 (a)-(d) above, this does not limit the participation of a Bidder as a Subcontractor in another Bid or of a firm as a Subcontractor in more than one Bid; or
 - (f) a Bidder, Joint Venture partner, associates, parent company, or any affiliated entity, participated as a Consultant in the preparation of the design or technical specifications of the works that are the subject of the Bid; or
 - (g) a Bidder was affiliated with a firm or entity that has been hired (or is proposed to be hired) by the Employer or Borrower as Engineer for the contract; or
 - (h) a Bidder would be providing goods, works, or nonconsulting

services resulting from or directly related to consulting services for the preparation or implementation of the project specified in the BDS ITB 2.1 that it provided or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm.

- 4.4 A firm shall not be eligible to participate in any procurement activities under an ADB-financed, -administered, or -supported project while under temporary suspension or debarment by ADB pursuant to its Anticorruption Policy (see ITB 3), whether such debarment was directly imposed by ADB, or enforced by ADB pursuant to the Agreement for Mutual Enforcement of Debarment Decisions. A bid from a temporary suspended or debarred firm will be rejected.
- Government-owned enterprises in the Employer's country shall be eligible only if they can establish that they (i) are legally and financially autonomous, (ii) operate under commercial law, and (iii) are not a dependent agency of the Employer.
- A Bidder shall not be under suspension from Bidding by the Employer as the result of the execution of a Bid-Securing Declaration.
- Bidders shall provide such evidence of their continued eligibility satisfactory to the Employer, as the Employer shall reasonably request.
- Firms shall be excluded if by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the Borrower's country prohibits any import of goods or contracting of works or services from that country or any payments to persons or entities in that country.
- Eligible Materials, **Equipment and Services**
- The materials, equipment, and services to be supplied under the 5.1 Contract shall have their origin in eligible source countries as defined in ITB 4.2 above and all expenditures under the Contract will be limited to such materials, equipment, and services. At the Employer's request, Bidders may be required to provide evidence of the origin of materials, equipment, and services.
- For purposes of ITB 5.1 above, "origin" means the place where the materials and equipment are mined, grown, produced, or manufactured, and from which the services are provided. Materials and equipment are produced when, through manufacturing, processing, or substantial or major assembling of components, a commercially recognized product results that differs substantially in its basic characteristics or in purpose or utility from its components.

B. Contents of Bidding Document

6. Sections of Bidding Document

6.1 The Bidding Document consists of Parts I, II, and III, which include all the sections indicated below, and should be read in conjunction with any addenda issued in accordance with ITB 8.

PART I Bidding Procedures

Section 1 Instructions to Bidders (ITB)

Section 2 Bid Data Sheet (BDS)

Section 3 Evaluation and Qualification Criteria (EQC)

Section 4 Bidding Forms (BDF)
Section 5 Eligible Countries (ELC)

PART II Requirements

Section 6 Employer's Requirements (ERQ)

PART III Conditions of Contract and Contract Forms

Section 7 General Conditions of Contract (GCC)

Section 8 Particular Conditions of Contract (PCC)

Section 9 Contract Forms (COF)

- 6.2 The IFB issued by the Employer is not part of the Bidding Document.
- 6.3 The Employer is not responsible for the completeness of the Bidding Document and their Addenda, if they were not obtained directly from the source stated by the Employer in the IFB.
- 6.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Document. Failure to furnish all information or documentation required by the Bidding Document may result in the rejection of the bid.
- 7. Clarification of Bidding Document, Site Visit, Pre-Bid Meeting
- 7.1 A prospective Bidder requiring any clarification on the Bidding Document shall contact the Employer in writing at the Employer's address indicated in the BDS or raise his inquiries during the pre-bid meeting if provided for in accordance with ITB 7.4. The Employer will respond in writing to any request for clarification, provided that such request is received prior to the deadline for submission of bids, within a period given in the BDS. The Employer shall forward copies of its response to all Bidders who have acquired the Bidding Document in accordance with ITB 6.3, including a description of the inquiry but without identifying its source. Should the Employer deem it necessary to amend the Bidding Document as a result of a request for clarification, it shall do so following the procedure under ITB 8 and ITB 22.2.
- 7.2 The Bidder is advised to visit and examine the Site of Works and its surroundings and obtain for itself, on its own risk and responsibility, all information that may be necessary for preparing the Bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Bidder's own expense.
- 7.3 The Bidder and any of its personnel or agents will be granted permission by the Employer to enter its premises and lands for the purpose of such visit, but only upon the express condition that the Bidder, its personnel, and agents will release and indemnify the

Employer and its personnel and agents from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.

- The Bidder's designated representative is invited to attend a pre-bid meeting, if provided for in the BDS. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- The Bidder is requested to submit any questions in writing, to reach the Employer not later than 1 week before the meeting.
- 7.6 Minutes of the pre-bid meeting, including the text of the questions raised, without identifying the source, and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Bidders who have acquired the Bidding Document in accordance with ITB 6.3. Any modification to the Bidding Document that may become necessary as a result of the pre-bid meeting shall be made by the Employer exclusively through the issue of an addendum pursuant to ITB 8 and not through the minutes of the pre-bid meeting.
- 7.7 Nonattendance at the pre-bid meeting will not be a cause for disqualification of a Bidder.
- Amendment of **Bidding Document**
- 8.1 At any time prior to the deadline for submission of Bids, the Employer may amend the Bidding Document by issuing addenda.
- 8.2 Any addendum issued shall be part of the Bidding Document and shall be communicated in writing to all who have obtained the Bidding Document from the Employer in accordance with ITB 6.3.
- To give prospective Bidders reasonable time in which to take an addendum into account in preparing their Bids, the Employer may, at its discretion, extend the deadline for the submission of Bids, pursuant to ITB 22.2.

C. Preparation of Bids

- 9. Cost of Bidding
- 9.1 The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Employer shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- 10. Language of Bid
- 10.1 The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Employer, shall be written in the language specified in the BDS. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the BDS, in which case, for purposes of interpretation of the Bid, such translation shall govern.

11. Documents Comprising the Bid

- 11.1 The Bid shall comprise two envelopes submitted simultaneously, one called the Technical Bid containing the documents listed in ITB 11.2 and the other the Price Bid containing the documents listed in ITB 11.3, both envelopes enclosed together in an outer single envelope.
- 11.2 The Technical Bid shall comprise the following:
 - (a) Letter of Technical Bid;
 - (b) Bid Security or Bid-Securing Declaration, in accordance with ITB 19;
 - (c) alternative Bids, at Bidder's option and if permissible, in accordance with ITB 13;
 - (d) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB 20.2;
 - (e) documentary evidence in accordance with ITB 17, establishing the Bidder's qualifications to perform the contract;
 - (f) Technical Proposal in accordance with ITB 16;
 - (g) any other document required in the BDS.
- 11.3 The Price Bid shall comprise the following:
 - (a) Letter of Price Bid;
 - (b) completed Price Schedules, in accordance with ITB 12 and ITB 14, or as stipulated in the BDS;
 - (c) alternative price Bids, at Bidder's option and if permissible, in accordance with ITB 13:
 - (d) any other document required in the BDS.
- 11.4 In addition to the requirements under ITB 11.2, Bids submitted by a Joint Venture shall include a copy of the Joint Venture Agreement entered into by all partners. Alternatively, a Letter of Intent to execute a Joint Venture Agreement in the event of a successful Bid shall be signed by all partners and submitted with the Bid, together with a copy of the proposed agreement.

12. Letters of Bid and Schedules

- 12.1 The Letters of Technical Bid and Price Bid, and the Schedules, and all documents listed under Clause 11, shall be prepared using the relevant forms furnished in Section 4 (Bidding Forms). The forms must be completed without any alterations to the text, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested and as required in the BDS.
- 13. Alternative Bids
- 13.1 Unless otherwise indicated in the BDS, alternative Bids shall not be considered.
- 13.2 When alternative times for completion are explicitly invited, a statement to that effect will be included in the BDS, as will the method of evaluating different times for completion.
- 13.3 When specified in the BDS pursuant to ITB 13.1, and subject to ITB 13.4 below, Bidders wishing to offer technical alternatives to the requirements of the Bidding Document must first price the Employer's design as described in the Bidding Document and shall further provide

all information necessary for a complete evaluation of the alternative by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the lowest evaluated Bidder conforming to the basic technical requirements shall be considered by the Employer.

- 13.4 When specified in the BDS, Bidders are permitted to submit alternative technical solutions for specified parts of the Works. Such parts will be identified in the BDS and described in Section 6 (Employer's Requirements). The method for their evaluation will be stipulated in Section 3 (Evaluation and Qualification Criteria).
- 14. Bid Prices and **Discounts**
- 14.1 The prices and discounts quoted by the Bidder in the Letter of Price Bid and in the Schedules shall conform to the requirements specified below.
- 14.2 The Bidder shall submit a bid for the whole of the works described in ITB 1.1 by filling in prices for all items of the Works, as identified in Section 4 (Bidding Forms). In case of admeasurement contracts, the Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed covered by the rates for other items and prices in the Bill of Quantities.
- 14.3 The price to be quoted in the Letter of Price Bid shall be the total price of the Bid, excluding any discounts offered. Absence of the total bid price in the Letter of Price Bid may result in the rejection of the Bid.
- 14.4 The Bidder shall quote any discounts and the methodology for their application in the Letter of Price Bid, in accordance with ITB 12.1.
- 14.5 The prices shall be either fixed or adjustable as specified in the BDS.
 - (a) In the case of Fixed Price, prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account. A Bid submitted with an adjustable price will be treated as nonresponsive and rejected.
 - (b) In the case of Adjustable Price, prices quoted by the Bidder shall be subject to adjustment during performance of the contract to reflect changes in the cost elements such as labor, material, transport, and contractor's equipment in accordance with the provisions of the Conditions of Contract. A Bid submitted with a fixed price will be treated as nonresponsive and be rejected. The Bidder shall furnish the indexes and weightings for the price adjustment formulas in the Tables of Adjustment Data included in Section 4 (Bidding Forms) and the Employer may require the Bidder to justify its proposed indexes and weightings. Any bid that omits indexes and weightings shall be subject to clarification with the Bidder.
- 14.6 If so indicated in ITB 1.1, bids are being invited for individual contracts or for any combination of contracts (packages). Bidders wishing to offer any price reduction for the award of more than one Contract shall

specify in their bid the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Price reductions or discounts shall be submitted in accordance with ITB 14.4, provided the Bids for all contracts are submitted and opened at the same time.

14.7 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 28 days prior to the deadline for submission of bids, shall be included in the rates and prices and the total Bid Price submitted by the Bidder.

15. Currencies of Bid and Payment

- 15.1 The currency(ies) of the Bid and payment shall be as specified in the BDS.
- 15.2 Bidders may be required by the Employer to justify, to the Employer's satisfaction, their local and foreign currency requirements, and to substantiate that the amounts included in the prices shown in the appropriate form(s) of Section 4, in which case a detailed breakdown of the foreign currency requirements shall be provided by Bidders.
- 16. Documents
 Comprising the
 Technical
 Proposal
- 16.1 The Bidder shall furnish a Technical Proposal including a statement of work methods, equipment, personnel, schedule, and any other information as stipulated in Section 4 (Bidding Forms), in sufficient detail to demonstrate the adequacy of the Bidders' proposal to meet the work requirements and the completion time.
- 17. Documents
 Establishing the
 Qualifications of
 the Bidder
- 17.1 To establish its qualifications to perform the Contract in accordance with Section 3 (Evaluation and Qualification Criteria) the Bidder shall provide the information requested in the corresponding information sheets included in Section 4 (Bidding Forms).
- 17.2 Domestic Bidders, individually or in Joint Ventures, applying for eligibility for domestic preference shall supply all information required to satisfy the criteria for eligibility in accordance with ITB 35.
- 18. Period of Validity of Bids
- 18.1 Bids shall remain valid for the period specified in the BDS after the bid submission deadline date prescribed by the Employer. A bid valid for a shorter period shall be rejected by the Employer as nonresponsive.
- 18.2 In exceptional circumstances, prior to the expiration of the bid validity period, the Employer may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing. If a bid security is requested in accordance with ITB 19, it shall also be extended 28 days beyond the deadline of the extended validity period. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request shall not be required or permitted to modify its Bid.
- 19. Bid Security/Bid-Securing Declaration
- 19.1 Unless otherwise specified in the BDS, the Bidder shall furnish as part of its Bid, in original form, either a Bid-Securing Declaration or a bid security as specified in the BDS. In the case of a bid security, the amount and currency shall be as specified in the BDS.

- 19.2 If a Bid-Securing Declaration is required pursuant to ITB 19.1, it shall use the form included in Section 4 (Bidding Forms). The Employer will declare a Bidder ineligible to be awarded a Contract for a specified period of time, as indicated in the BDS, if the Bid-Securing Declaration is executed.
- 19.3 If a bid security is specified pursuant to ITB 19.1, the bid security shall be, at the Bidder's option, in any of the following forms:
 - (a) an unconditional bank guarantee,
 - (b) an irrevocable letter of credit,
 - (c) a cashier's or certified check, or
 - (d) SWIFT message in the form of MT760.

all from a reputable bank from an eligible country as described in Section 5 (Eligible Countries). In the case of a bank guarantee, the bid security shall be submitted either using the Bid Security Form included in Section 4 (Bidding Forms) or another form acceptable to the Employer. The form must include the complete name of the Bidder. The bid security shall be valid for 28 days beyond the original validity period of the bid, or beyond any period of extension if requested under ITB 18.2.

- 19.4 Unless otherwise specified in the BDS, any Bid not accompanied by a substantially compliant bid security or Bid-Securing Declaration, if one is required in accordance with ITB 19.1, shall be rejected by the Employer as nonresponsive.
- 19.5 If a bid security is specified pursuant to ITB 19.1, the bid security of unsuccessful Bidders shall be returned promptly upon the successful Bidder's furnishing of the performance security pursuant to ITB 45.
- 19.6 If a bid security is specified pursuant to ITB 19.1, the bid security of the successful Bidder shall be returned promptly once the successful Bidder has signed the Contract and furnished the required performance security.
- 19.7 The bid security may be forfeited or the Bid-Securing Declaration executed, if
 - (a) notwithstanding ITB 24.3, a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Letters of Technical Bid and Price Bid, except as provided in ITB 18.2; or
 - (b) the successful Bidder fails to
 - (i) sign the Contract in accordance with ITB 44;
 - (ii) furnish a performance security in accordance with ITB 45;
 - (iii) accept arithmetical corrections in accordance with ITB 34; or
 - (iv) furnish a domestic preference security, if applicable, in accordance with ITB 45.
- 19.8 If the bid security is required as per ITB 19.1, the bid security of a Joint Venture shall be in the name of the Joint Venture that submits the Bid.

If the Joint Venture has not been legally constituted at the time of bidding, the bid security shall be in the name of any or all of the Joint Venture partners. If the Bid-Securing Declaration is required as per ITB 19.1, the Bid-Securing Declaration of a Joint Venture shall be in the name of the Joint Venture that submits the Bid. If the Joint Venture has not been legally constituted at the time of bidding, the Bid-Securing Declaration shall be in the names of all future partners as named in the letter of intent mentioned in ITB 4.1.

20. Format and Signing of Bid

- 20.1 The Bidder shall prepare one original set of the Technical Bid and one original of the Price Bid comprising the Bid as described in ITB 11 and clearly mark it "ORIGINAL TECHNICAL BID" and "ORIGINAL PRICE BID." Alternative Bids, if permitted in accordance with ITB 13, shall be clearly marked "ALTERNATIVE." In addition, the Bidder shall submit copies of the Bid in the number specified in the BDS, and clearly mark each of them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 20.2 The original and all copies of the Bid shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as specified in the BDS and shall be attached to the Bid. The name and position held by each person signing the authorization must be typed or printed below the signature. If a Bidder submits a deficient authorization, the Bid shall not be rejected in the first instance. The Employer shall request the Bidder to submit an acceptable authorization within the number of days as specified in the BDS. Failure to provide an acceptable authorization within the period stated in the Employer's request shall cause the rejection of the Bid. If either the Letter of Technical Bid or Letter of Price Bid or the Bid-Securing Declaration (if applicable) is not signed, the Bid shall be rejected.
- 20.3 Any amendments such as interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Bid.

D. Submission and Opening of Bids

21. Sealing and Marking of Bids

- 21.1 Bidders may always submit their Bids by mail or by hand. When so specified in the BDS, Bidders shall have the option of submitting their Bids electronically. Procedures for submission, sealing, and marking are as follows:
 - (a) Bidders submitting Bids by mail or by hand shall enclose the original of the Technical Bid, the original of the Price Bid, and each copy of the Technical Bid and each copy of the Price Bid, in separate sealed envelopes, duly marking the envelopes as "ORIGINAL TECHNICAL BID," "ORIGINAL PRICE BID," and "COPY NO... TECHNICAL BID," and "COPY NO... PRICE BID." These envelopes, the first containing the originals and the others containing copies, shall then be enclosed in one single envelope per set. If permitted in accordance with ITB 13, alternative Bids shall be similarly sealed, marked and included in the sets. The rest of the procedure shall be in accordance with

ITB 21.2 and ITB 21.3.

(b) Bidders submitting Bids electronically shall follow the electronic bid submission procedures specified in the BDS.

1-15

- 21.2 The inner and outer envelopes shall
 - (a) bear the name and address of the Bidder;
 - (b) be addressed to the Employer as provided in BDS 22.1; and
 - (c) bear the specific identification of this bidding process indicated in the BDS 1.1.
- 21.3 The outer envelopes and the inner envelopes containing the Technical Bid shall bear a warning not to open before the time and date for the opening of Technical Bid, in accordance with ITB 25.1.
- 21.4 The inner envelopes containing the Price Bid shall bear a warning not to open until advised by the Employer in accordance with ITB 25.7.
- 21.5 If all envelopes are not sealed and marked as required, the Employer will assume no responsibility for the misplacement or premature opening of the Bid.
- 22. Deadline for Submission of Bids
- 22.1 Bids must be received by the Employer at the address and no later than the date and time indicated in the BDS.
- 22.2 The Employer may, at its discretion, extend the deadline for the submission of Bids by amending the Bidding Document in accordance with ITB 8, in which case all rights and obligations of the Employer and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.
- 23. Late Bids
- 23.1 The Employer shall not consider any Bid that arrives after the deadline for submission of bids, in accordance with ITB 22. Any Bid received by the Employer after the deadline for submission of Bids shall be declared late, rejected, and returned unopened to the Bidder.
- 24. Withdrawal, Substitution, and Modification of **Bids**
- 24.1 A Bidder may withdraw, substitute, or modify its Bid Technical or Price - after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITB 20.2 (except for withdrawal notices, which do not require copies). The corresponding substitution or modification of the Bid must accompany the respective written notice. All notices must be
 - (a) prepared and submitted in accordance with ITB 20 and ITB 21 (except for withdrawal notices, which do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and
 - (b) received by the Employer prior to the deadline prescribed for submission of Bids, in accordance with ITB 22.
- 24.2 Bids requested to be withdrawn in accordance with ITB 24.1 shall be

returned unopened to the Bidders.

24.3 No Bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of Bids and the expiration of the period of bid validity specified by the Bidder on the Letters of Technical Bid and Price Bid or any extension thereof.

25. Bid Opening

- 25.1 The Employer shall open the Technical Bids in public at the address, on the date, and time specified in the BDS in the presence of Bidders' designated representatives and anyone who choose to attend. Any specific electronic bid opening procedures required if electronic bidding is permitted in accordance with ITB 21.1, shall be as specified in the BDS. The Price Bids will remain unopened and will be held in custody of the Employer until the specified time of their opening. If the Technical Bid and Price Bid are submitted together in one envelope, the Employer may reject the entire Bid. Alternatively, the Price Bid may be immediately resealed for later evaluation.
- 25.2 First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding Bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening.
- 25.3 Second, outer envelopes marked "SUBSTITUTION" shall be opened. The inner envelopes containing the Substitution Technical Bid and/or Substitution Price Bid shall be exchanged for the corresponding envelopes being substituted, which are to be returned to the Bidder unopened. Only the Substitution Technical Bid, if any, shall be opened, read out, and recorded. Substitution Price Bid will remain unopened in accordance with ITB 25.1. No envelope shall be substituted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out and recorded at bid opening.
- 25.4 Next, outer envelopes marked "MODIFICATION" shall be opened. No Technical Bid and/or Price Bid shall be modified unless the corresponding modification notice contains a valid authorization to request the modification and is read out and recorded at the opening of Technical Bids. Only the Technical Bids, both Original as well as Modification, are to be opened, read out, and recorded at the opening. Price Bids, both Original and Modification, will remain unopened in accordance with ITB 25.1.
- 25.5 All other envelopes holding the Technical Bids shall be opened one at a time, and the following read out and recorded:
 - (a) the name of the Bidder;
 - (b) whether there is a modification or substitution;
 - (c) the presence of a bid security or a Bid-Securing Declaration, if required; and
 - (d) any other details as the Employer may consider appropriate.

Only Technical Bids and alternative Technical Bids read out and recorded at bid opening shall be considered for evaluation. Unless otherwise specified in the BDS, all pages of the Letter of Technical Bid are

- to be initialed by at least three representatives of the Employer attending the bid opening. No Bid shall be rejected at the opening of Technical Bids except for late bids, in accordance with ITB 23.1.
- 25.6 The Employer shall prepare a record of the opening of Technical Bids that shall include, as a minimum, the name of the Bidder and whether there is a withdrawal, substitution, or modification; alternative proposals; and the presence or absence of a bid security or a Bid-Securing Declaration, if one was required. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record. A copy of the record shall be distributed to all Bidders who submitted Bids on time, and posted online when electronic bidding is permitted.
- 25.7 At the end of the evaluation of the Technical Bids, the Employer will invite bidders who have submitted substantially responsive Technical Bids and who have been determined as being qualified for award to attend the opening of the Price Bids. The date, time, and location of the opening of Price Bids will be advised in writing by the Employer. Bidders shall be given reasonable notice for the opening of Price Bids.
- 25.8 The Employer will notify Bidders in writing who have been rejected on the grounds of their Technical Bids being substantially nonresponsive to the requirements of the Bidding Document and return their Price Bids unopened.
- The Employer shall conduct the opening of Price Bids of all Bidders who submitted substantially responsive Technical Bids, in the presence of Bidders' representatives who choose to attend at the address, on the date, and time specified by the Employer. The Bidder's representatives who are present shall be requested to sign a register evidencing their attendance.
- 25.10 All envelopes containing Price Bids shall be opened one at a time and the following read out and recorded:
 - (a) the name of the Bidder;
 - (b) whether there is a modification or substitution;
 - (c) the Bid Prices, including any discounts and alternative offers; and
 - (d) any other details as the Employer may consider appropriate.
 - Only Price Bids, discounts, and alternative offers read out and recorded during the opening of Price Bids shall be considered for evaluation. Unless otherwise specified in the BDS, all pages of the Letter of Price Bid and Schedules are to be initialed by at least three representatives of the Employer attending the bid opening. No Bid shall be rejected at the opening of Price Bids.
- 25.11 The Employer shall prepare a record of the opening of Price Bids that shall include, as a minimum, the name of the Bidder, the Bid Price (per lot if applicable), any discounts, and alternative offers. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record. A copy of the

record shall be distributed to all Bidders who submitted Bids on time, and posted online when electronic bidding is permitted.

E. Evaluation and Comparison of Bids

26. Confidentiality

- 26.1 Information relating to the examination, evaluation, comparison, and postqualification of Bids and recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process until on the publication of Contract award.
- 26.2 Any attempt by a Bidder to influence the Employer in the evaluation of the Bids or Contract award decisions may result in the rejection of its Bid.
- 26.3 Notwithstanding ITB 26.2, from the time of bid opening to the time of Contract award, if any Bidder wishes to contact the Employer on any matter related to the bidding process, it may do so in writing.

27. Clarification of Bids

- 27.1 To assist in the examination, evaluation, and comparison of the Technical and Price Bids, the Employer may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder that is not in response to a request by the Employer shall not be considered. The Employer's request for clarification and the response shall be in writing. No change in the substance of the Technical Bid or prices in the Price Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the Price Bids, in accordance with ITB 33.
- 27.2 If a Bidder does not provide clarifications of its Bid by the date and time set in the Employer's request for clarification, its Bid may be rejected.

28. Deviations, Reservations, and Omissions

- 28.1 During the evaluation of bids, the following definitions apply:
 - (a) "Deviation" is a departure from the requirements specified in the Bidding Document;
 - (b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Document; and
 - (c) "Omission" is the failure to submit part or all of the information or documentation required in the Bidding Document.

29. Examination of Technical Bids

- 29.1 The Employer shall examine the Technical Bid to confirm that all documents and technical documentation requested in ITB 11.2 have been provided, and to determine the completeness of each document submitted.
- 29.2 The Employer shall confirm that the following documents and information have been provided in the Technical Bid. If any of these documents or information is missing, the offer shall be rejected.
 - (a) Letter of Technical Bid:
 - (b) written confirmation of authorization to commit the Bidder;

- (c) Bid Security or Bid-Securing Declaration, if applicable; and
- (d) Technical Proposal in accordance with ITB 16.

30. Responsiveness of Technical Bid

- 30.1 The Employer's determination of a Bid's responsiveness is to be based on the contents of the Bid itself, as defined in ITB 11.
- 30.2 A substantially responsive Technical Bid is one that meets the requirements of the Bidding Document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that,
 - (a) if accepted, would:
 - affect in any substantial way the scope, quality, or performance of the Works specified in the Contract; or
 - (ii) limit in any substantial way, inconsistent with the Bidding Document, the Employer's rights or the Bidder's obligations under the proposed Contract; or
 - (b) if rectified, would unfairly affect the competitive position of other Bidders presenting substantially responsive Bids.
- 30.3 The Employer shall examine the technical aspects of the Bid submitted in accordance with ITB 16, Technical Proposal, in particular, to confirm that all requirements of Section 6 (Employer's Requirements) have been met without any material deviation, reservation, or omission.
- 30.4 If a Bid is not substantially responsive to the requirements of the Bidding Document, it shall be rejected by the Employer and may not subsequently be made responsive by correction of the material deviation, reservation, or omission,

31. Nonmaterial **Nonconformities**

- 31.1 Provided that a Bid is substantially responsive, the Employer may waive any nonconformities in the Bid that do not constitute a material deviation, reservation, or omission.
- 31.2 Provided that a Technical Bid is substantially responsive, the Employer may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities in the Technical Bid related to requirements. Requesting information documentation documentation on such nonconformities shall not be related to any aspect of the Price Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 31.3 Provided that a Technical Bid is substantially responsive, the Employer shall rectify quantifiable nonmaterial nonconformities related to the Bid Price. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component. The adjustment shall be made using the method indicated in Section 3 (Evaluation and Qualification Criteria).

32. Qualification of the Bidder

32.1 The Employer shall determine to its satisfaction during the evaluation of Technical Bids whether Bidders meet the qualifying criteria specified in Section 3 (Evaluation and Qualification Criteria).

- 32.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB 17.1. Unless permitted in the BDS, the determination shall not take into consideration the qualifications of other firms such as the Bidder's subsidiaries, parent entities, affiliates, Subcontractors, or any other firm(s) different from the Bidder.
- 32.3 An affirmative determination shall be a prerequisite for the opening and evaluation of a Bidder's Price Bid. The Employer reserves the right to reject the bid of any bidder found to be in circumstances described in GCC 73.2(c). A negative determination shall result into the disqualification of the Bid, in which event the Employer shall return the unopened Price Bid to the Bidder.

33. Subcontractors

- 33.1 Unless otherwise stated in the BDS, the Employer does not intend for the contractor to execute any specific elements of the Works through nominated subcontractors.
- 33.2 If Subcontractors are proposed for any of the key activities listed in Section 3 (Evaluation and Qualification) Criteria 2.4.2, they shall be considered as "Specialist Subcontractors" and shall meet qualification requirements for the relevant key activities.

34. Correction of Arithmetical Errors

- 34.1 During the evaluation of Price Bids, the Employer shall correct arithmetical errors on the following basis:
 - (a) Only for admeasurement contracts, if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Employer there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected.
 - (b) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected.
 - (c) If there is a discrepancy between the bid price in the Summary of Bill of Quantities and the bid amount in item (c) of the Letter of Price Bid, the bid price in the Summary of Bill of Quantities will prevail and the bid amount in item (c) of the Letter of Price Bid will be corrected.
 - (d) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a), (b) and (c) above.
- 34.2 If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its Bid shall be disqualified and its bid security may be forfeited or its Bid-Securing Declaration executed.

35. Conversion to Single Currency

35.1 For evaluation and comparison purposes, the currency(ies) of the Bid shall be converted into a single currency as specified in the BDS.

36. Domestic Preference

- 36.1 Unless otherwise specified in the BDS, domestic preference shall not apply.
- 37. Evaluation and Comparison of **Price Bids**
- 37.1 The Employer shall use the criteria and methodologies listed in this Clause. No other evaluation criteria or methodologies shall be permitted.
- 37.2 To evaluate the Price Bid, the Employer shall consider the following:
 - (a) the bid price, excluding Provisional Sums and the provision, if any, for contingencies in the Summary Bill of Quantities for admeasurement contracts, or Schedule of Prices for lump sum contracts, but including Daywork items, where priced competitively;
 - (b) price adjustment for correction of arithmetic errors in accordance with ITB 34.1;
 - (c) price adjustment due to discounts offered in accordance with ITB 14.4;
 - (d) converting the amount resulting from applying (a) to (c) above, if relevant, to a single currency in accordance with ITB 35;
 - (e) adjustment for nonmaterial nonconformities in accordance with ITB 31.3;
 - (f) assessment whether the bid is abnormally low in accordance with ITB 38; and
 - (g) application of all the evaluation factors indicated in Section 3 (Evaluation and Qualification Criteria).
- 37.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in bid evaluation.
- 37.4 If this Bidding Document allows Bidders to quote separate prices for different contracts, and to award multiple contracts to a single Bidder, the methodology to determine the lowest evaluated price of the contract combinations, including any discounts offered in the Letter of Price Bid, is specified in Section 3 (Evaluation and Qualification Criteria).
- 37.5 The Employer shall compare all substantially responsive Bids to determine the lowest evaluated Bid, in accordance with ITB 37.2.

38. Abnormally Low **Bids**

- 38.1 An abnormally low bid is one where the bid price, in combination with other elements of the bid, appears to be so low that it raises concerns as to the capability of the Bidder to perform the contract for the offered bid price.
- 38.2 When the offered bid price appears to be abnormally low, the Employer shall undertake a three-step review process as follows:
 - (a) identify abnormally low costs and unit rates by comparing them with the engineer's estimates, other substantially responsive bids, or recently awarded similar contracts;

- (b) clarify and analyze the bidder's resource inputs and pricing, including overheads, contingencies and profit margins; and
- (c) decide whether to accept or reject the bid.
- 38.3 With regard to ITB 38.2 (b) above, the Employer will seek a written explanation from the bidder of the reasons for the offered bid price, including a detailed analysis of costs and unit prices, by reference to the scope, proposed methodology, schedule, and allocation of risks and responsibilities. This may also include information regarding the economy of the manufacturing process; the services to be provided, or the construction method to be used; the technical solutions to be adopted; and any exceptionally favorable conditions available to the bidder for the works, equipment or services proposed.
- 38.4 After examining the explanation given and the detailed the price analyses presented by the bidder, the Employer may:
 - (a) accept the bid, if the evidence provided satisfactorily accounts for the low bid price and costs, in which case the bid is not considered abnormally low;
 - (b) accept the bid, but require that the amount of the performance security be increased at the expense of the bidder to a level sufficient to protect the Employer against financial loss. The amount of the performance security shall generally be not more than 20% of the contract price; or
 - (c) reject the bid if the evidence provided does not satisfactorily account for the low bid price, and make a similar determination for the next ranked bid, if required.

39. Unbalanced or Front-Loaded Bids

- 39.1 If the Bid, which results in the lowest evaluated Bid Price, is seriously unbalanced or front-loaded in the opinion of the Employer, the Employer may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed, as well as the pricing and sources of materials, equipment and labor.
- 39.2 After the evaluation of the information and detailed price analyses presented by the Bidder, the Employer may as appropriate:
 - (a) accept the Bid; or
 - (b) accept the Bid, but require that the total amount of the Performance Security be increased at the expense of the Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract subject to ITB 45.2; or
 - (c) reject the Bid and make a similar determination for the next ranked bid.
- 40. Employer's Right to Accept Any Bid, and to Reject Any or All Bids
- 40.1 The Employer reserves the right to accept or reject any Bid, and to annul the bidding process and reject all Bids at any time prior to contract award, without thereby incurring any liability to Bidders. In case of annulment, all Bids submitted and specifically, bid securities, shall be promptly returned to the Bidders.

for Award of Contract

41. Notice of Intention 41.1 If Standstill provisions apply as specified in the BDS, the standstill period shall be defined in the BDS to specify the duration subsequent to notification of intention for award of contract (before making the actual contract award) within which any unsuccessful bidder can challenge the proposed award.

F. Award of Contract

42. Award Criteria

42.1 The Employer shall award the Contract to the Bidder whose offer has been determined in line with ITB 35 to ITB 37 above to be the lowest evaluated Bid and is substantially responsive to the Bidding Document, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.

43. Notification of Award

- 43.1 Prior to the expiration of the period of bid validity and upon expiry of the standstill period specified in ITB 40.1, or upon satisfactory resolution of a complaint filed within standstill period, if applicable, the Employer shall transmit the Notification of Award using the form included in Section 9 (Contract Forms) to the successful Bidder, in writing, that its Bid has been accepted. At the same time, the Employer shall also notify all other Bidders of the results of the bidding.
- 43.2 Unless standstill period applies, upon notification of award, unsuccessful Bidders may request in writing to the Employer for a debriefing seeking explanations on the grounds on which their Bids were not selected. The Employer shall promptly respond in writing and/or in a debriefing meeting to any unsuccessful Bidder who, after publication of contract award, requests a debriefing.
- 43.3 Until a formal contract is prepared and executed, the notification of award shall constitute a binding Contract.
- 43.4 Within 2 weeks of the award of contract or expiry of the standstill period, where such period applies, or, if a complaint has been filed within the standstill period, upon receipt of ADB's confirmation of satisfactory resolution of the complaint, the borrower shall publish in an English language newspaper or widely known and freely accessible website the results identifying the bid and lot or package numbers, as applicable and the following information:
 - (a) name of each Bidder who submitted a Bid;
 - (b) bid prices as read out at bid opening:
 - (c) name and evaluated prices of each Bid that was evaluated;
 - (d) name of Bidders whose bids were rejected and the reasons for their rejection; and
 - (e) name of the winning Bidder, and the price it offered, as well as the duration and summary scope of the contract awarded.

44. Signing of Contract

- 44.1 Promptly after notification, the Employer shall send the successful Bidder the Contract Agreement.
- 44.2 Within 28 days of receipt of the Contract Agreement, the successful Bidder shall sign, date, and return it to the Employer.

1-24 Section 1: Instructions to Bidders

45. Performance Security

- 45.1 Within 28 days of the receipt of notification of award from the Employer, the successful Bidder shall furnish the performance security in accordance with the Conditions of Contract, subject to ITB 38 and ITB 39, using for that purpose the Performance Security Form included in Section 9 (Contract Forms), or another form acceptable to the Employer. If the institution issuing the performance security is located outside the country of the Employer, it shall have a correspondent financial institution located in the country of the Employer to make it enforceable.
- 45.2 Failure of the successful Bidder to submit the abovementioned Performance Security or to sign the Contract Agreement shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security or execution of the Bid-Securing Declaration. In that event, the Employer may award the Contract to the next lowest evaluated Bidder whose offer is substantially responsive and is determined by the Employer to be qualified to perform the Contract satisfactorily.
- 45.3 The above provision shall also apply to the furnishing of a domestic preference security, if so required.

46. Bidding-Related Complaints

46.1 The procedures for dealing with Bidding-Related Complaints arising out of this bidding process are specified in the BDS.

Section 2 - Bid Data Sheet 2-1

Section 2 - Bid Data Sheet

A. General

ITB 1.1	The number of the Invitation for Bids (IFB) is:AEPC/ADB/SASEC/NCB/MHP/08
ITB 1.1	The Employer is: Alternative Energy Promotion Center (AEPC)
ITB 1.1	The name of the bidding process is: Single stage Two Envelope The identification number of the bidding process is: AEPC/ADB/SASEC/NCB/MHP/08 The number and identification of lots comprising this bidding process is: None
ITB 2.1	The Borrower is: Nepal
ITB 2.1	The name of the Project is: SASEC Power System Expansion off-grid Component / SaniveriUttarganga Mini Hydro Subproject.

B. Contents of Bidding Documents

ITB 7.1	For <u>clarification purposes</u> only, the Employer's address is:	
	Attention: Project Manager	
	Street Address: Khumaltar Height	
	Floor/Room number: 2 nd Floor	
	City: Lalitpur	
	Country: Nepal	
	Telephone: : +977-01-5539390/91	
	Facsimile number: +977-01-5542397	
	Electronic mail address: narayan.adhikari@aepc.gov.np	
	Requests for clarification should be received by the Employer no later than: 23 January 2020	
ITB 7.4	A Pre-Bid meeting will take place.	
	Date: 1 January 2020	
	Time: 2 PM	
	Place: AEPC Hall, Khumaltar, Lalitpur,Nepal	
	A site visit will be conducted by the Employer. The cost of site visit shall be borne by the Bidder.	

2-2 Section 2 - Bid Data Sheet

C. Preparation of Bids

	·
ITB 10.1	The language of the bid is: English
ITB 11.2 (g) The Bidder shall submit with its Technical Bid the following addition	
	None
ITB 11.3 (b)	In accordance with ITB 12 and ITB 14, the following schedules shall be submitted with the bid, including the priced Bill of Quantities for admeasurement contracts and Activity Schedule for lump sum contracts: Work Schedule
ITB 11.3 (d)	The Bidder shall submit with its Price Bid the following additional documents: None
ITB 12.1	The units and rates in figures entered into the Bill of Quantities and Day-work Schedule should be typewritten or if written by hand, must be in print form. Bill of Quantities and Day-work Schedule not presented accordingly may be considered nonresponsive.
ITB 13.1	Alternative bids shall not be permitted.
ITB 13.2	Alternative times for completion shall not be permitted.
ITB 13.4	NOT APPLICABLE
ITB 14.5	The prices quoted by the Bidder will not be subject to adjustment during the performance of the Contract.
ITB 15.1	The prices shall be quoted by the bidder and shall be paid in: Nepalese Rupees
ITB 18.1	The bid validity period shall be 120 days.
ITB 19.1	The Bidder shall furnish a bid security in the amount of NRs. 5,500,000 .
ITB 19.2	The ineligibility period will be (Not Applicable)
ITB 19.4	Subject to the succeeding sentences, any bid not accompanied by an irrevocable and callable bid security shall be rejected by the Employer as nonresponsive. If a Bidder submits a bid security that (i) deviates in form, amount, and/or period of validity, or (ii) does not provide sufficient identification of the Bidder (including, without limitation, failure to indicate the name of the Joint Venture or, where the Joint Venture has not yet been constituted, the names of all future Joint Venture Partners), the Employer shall request the Bidder to submit a compliant bid security within 7 days of receiving such a request. Failure to provide a compliant bid security within the prescribed period of receiving such a request shall cause the rejection of the Bid.
ITB 20.1	In addition to the original Bid, the number of copies is: 2
ITB 20.2	The written confirmation of authorization to sign on behalf of the Bidder shall consist of: An organizational document, board resolution or its equivalent, or

Section 2 - Bid Data Sheet 2-3

	power of attorney specifying the representative's authority to sign the Bid on behalf of the Bidder. If the Bidder is an intended or an existing joint venture, the power of attorney should be signed by all partners and specify the authority of the named representative of the joint venture to sign on behalf of the intended or existing joint venture. If the joint venture has not yet been formed, also include evidence from all proposed joint venture partners of their intent to enter into a joint venture in the event of a contract award in accordance with ITB 11.4.
ITB 20.2	The Bidder shall submit an acceptable authorization within 7 days.

D. Submission and Opening of Bids

ITB 21.1	Bidders do not have the option of submitting their Bids electronically.
11021.1	bluders do not have the option of submitting their blus electronically.
ITB 21.1 (b)	NOT APPLICABLE
ITB 22.1	For bid submission purposes only, the Employer's address is:
	Attention: Project Manager, AEPC/SASEC
	Street Address: Khumaltar Height
	Floor/Room number: AEPC Hall
	City: Lalitpur
	Country: Nepal
	The deadline for bid submission is:
	Date: 30 January 2020
	Time: 12:00 hrs Nepal Standard Time
ITB 25.1	The opening of the Technical Bid shall take place at:
	Street Address: AEPC, Khumaltar Height
	Floor/Room number: AEPC Hall
	City: Lalitpur
	Country: Nepal
	Date: 30 January 2020
	Time: Immediately after the deadline for submission of the Bids.
ITB 25.1	If electronic bid submission is permitted in accordance with ITB 21.1, the specific bid opening procedures shall be:(Not Applicable)
ITB 25.5	The Letter of Technical Bid shall be initialed by at least 3 representatives of the Employer attending the Bid opening.
ITB 25.10	The Letter of Price Bid and Schedules shall be initialed by at least 3 representatives of the Employer attending the Bid opening.

E. Evaluation and Comparison of Bids

ITB 32.2	The qualifications of other firms such as the Bidder's subsidiaries, parent entities, affiliates, Subcontractors shall not be permitted.
ITB 33.1	The Employer shall permit for the contractor to execute any specific elements of

2-4 Section 2 - Bid Data Sheet

	the Works through nominated subcontractors.
ITB 35.1	Not applicable.
ITB 36.1	Domestic preference shall not apply.
ITB 41.1	Standstill provisions shall apply. The duration of standstill period will be 7days from the date of notice of intention for award of contract.
	The Employer shall, at the start of the standstill period, notify in writing each Bidder that submitted a bid, of its intention to award a contract to the successful Bidder at the end of standstill period. The notification using the form included in Section 9 (Contract Forms) shall include the following information:
	(a) the name of each Bidder who submitted a Bid;
	(b) the bid prices as read out at bid opening;
	(c) the name and evaluated prices of each Bid that was evaluated;
	(d) the name of Bidders whose bids were rejected and the reasons for their rejection;
	(e) the name of the winning Bidder, and the price it offered, as well as the duration and summary scope of the contract awarded; and
	a statement of the reason(s) the bid of the unsuccessful Bidder to whom the notification is addressed was unsuccessful, unless the price information under (e) of this paragraph already reveals the reason.

F. Award of Contracts

ITB 46.1	The procedures for Bidding-Related Complaints are referenced in the Procurement Regulations for ADB Borrowers (Appendix 7). The Bidder should submit its complaint following these procedures, in writing, to:
	For the attention: Dr. Narayan Prasad Adhikari
	Title/position: Project Manager, AEPC/SASEC
	Employer: Alternative Energy Promotion Centre
	Ministry of Energy, Water Resources and Irrigation
	Tel No: +977-1-5539390/91, Ext: 328
	Fax: +977-1-5542397, 5539392
	Email: narayan.adhikari@aepc.gov.np

Section 3: Evaluation and Qualification Criteria

Table of Criteria

1.	Evaluation	3-2
	1.1Adequacy of Technical Proposal	3-2
	1.2Completion Time	3-2
	1.3Technical Alternatives	3-2
	1.4 Specialist Subcontractor	3-2
	1.5Quantifiable Nonconformities and Omissions	3-2
	1.6Domestic Preference	3-3
	1.7 Other Criteria	3-3
	1.8Multiple Contracts	3-3
2.	Qualification	3-4
	2.1Eligibility	3-4
	2.1.1 Nationality	3-4
	2.1.2Conflict of Interest	3-4
	2.1.3ADB Eligibility	3-4
	2.1.4Government-Owned Enterprise	3-4
	2.1.5United Nations Eligibility	3-4
	2.2Historical Contract Nonperformance	3-5
	2.2.1 History of Nonperforming Contracts	3-5
	2.2.2Suspension Based on Execution of Bid-Securing Declaration	3-5
	2.2.3 Pending Litigation and Arbitration	3-5
	2.3 Financial Situation	3-6
	2.3.1Historical Financial Performance	3-6
	2.3.2Average Annual Construction Turnover	3-6
	2.3.3Financial Resources	3-7
	2.4Construction Experience	3-8
	2.4.1Contracts of Similar Size and Nature	3-8
	2.4.2Construction Experience in Key Activities	3-9

1. Evaluation

In addition to the criteria listed in ITB 37.2 (a)–(f), other relevant factors are as follows:

1.1 Adequacy of Technical Proposal

Evaluation of the Bidder's Technical Proposal will include an assessment of the Bidder's technical capacity to mobilize key equipment and personnel for the contract consistent with its proposal regarding work methods, scheduling, and material sourcing in sufficient detail and fully in accordance with the requirements stipulated in Section 6 (Employer's Requirements).

Non-compliance with equipment and personnel requirements described in Section 6 (Employer's Requirements) shall not normally be a ground for bid rejection, and such noncompliance will be subject to clarification during bid evaluation and rectification prior to contract award.

1.2 Completion Time

Time to complete the **Saniveri Uttarganag Mini Hydro Subproject, Package 1-Generation**excluding the time for Operation and Maintenance shall be **540** days from the effective date of the Contract (Site Possession Date) Agreement. Earlier completion is permitted without credit. No other alternative completion schedule is permitted.

1.3 Technical Alternatives

Not Applicable

1.4 Specialist Subcontractors

Only the specific experience of Specialist Subcontractors for key activities specified in criterion 2.4.2 Construction Experience in Key Activities will be considered. The experience of Specialist Subcontractors in contracts of similar size and nature, and their financial resources shall not be added to those of the Bidder for purposes of qualification of the Bidder.

1.5 Quantifiable Nonconformities and Omissions

Subject to ITB 14.2 and ITB 37.2, the evaluated cost of quantifiable nonconformities including omissions, is determined as follows:

Pursuant to ITB 31.3, the cost of all quantifiable nonmaterial non conformities shall be evaluated, including omissions in Daywork where competitively priced but excluding omission of prices in the Bill of Quantities. The Employer will make its own assessment of the cost of any non-material non conformities and omissions for the purpose of ensuring fair comparison of bids.

1.6 Domestic Preference

[Not Applicable]

1.7 Other Criteria

[Not Applicable]

1.8 Multiple Contracts

[Not Applicable]

2. Qualification

2.1 Eligibility

Criteria		Compliance I	Requirements		Documents
Requirement	Single Entity	Joint Venture			Cubmissism
		All Partners Combined	Each Partner	One Partner	Submission Requirements
2.1.1 Nationality					
Nationality in accordance with ITB 4.2.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Forms ELI –1; ELI –2 with attachments
2.1.2 Conflict of Interest					
No conflicts of interest in accordance with ITB 4.3.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Letter of Technical Bid
2.1.3 ADB Eligibility					
Not having been declared ineligible by ADB, as described in ITB 4.4.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Letter of Technical Bid
2.1.4 Government-Owned Ente	erprise				
Bidder required to meet	Must meet	Must meet	Must meet	Not	Forms

2.1.5 United Nations Eligibility

conditions of ITB 4.5.

Not having been excluded by an act of compliance witha United Nations Security Council resolution in accordance with ITB 4.8.	Must meet	Must meet	Must meet	Not	Letter of Technical
	requirement	requirement	requirement	applicable	Bid

requirement

requirement

applicable

ELI -1, ELI - 2 with

attachments

requirement

2.2 Historical Contract NonPerformance

2.2.1 History of NonPerforming Contracts

Criteria	Compliance Requirements				Documents
	Single Entity	J	Submission		
Requirement		All Partners Combined	Each Partner	One Partner	Requirements
Non-performance of a contract ^a did not occur as a result of contractor default since 1 January 2019	Must meet requirement	Must meet requirement	Must meet requirement ^b	Not Applicable	Form CON-1

^aNonperformance, as decided by the Employer, shall include all contracts where (a) nonperformance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Nonperformance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Nonperformance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

2.2.2 Suspension Based on Execution of Bid-Securing Declaration (Not Applicable)

Criteria	Compliance Requirements				Documents
	Single Entity	Joint Venture			Submission
Requirement		All Partners Combined	Each Partner	One Partner	Requirements
Not under suspension based on execution of a Bid-Securing Declaration pursuant to ITB 4.6.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Letter of Technical Bid

2.2.1 Pending Litigation and Arbitration(Not Applicable)

Pending litigation and arbitration criterion shall not apply.

^bThis requirement also applies to contracts executed by the Bidder as Joint Venture member.

2.3 Financial Situation

2.3.1 Historical Financial Performance

Criteria	Compliance Requirements		Documents		
		Joint Venture			Submission
Requirement	Single Entity	All Partners Combined	Each Partner	One Partner	Requirements
Submission of audited financial statements or, if not required by the law of the Bidder's country, other financial statements acceptable to the Employer, for the last 3 years to demonstrate the current soundness of the Bidder's financial position. As a minimum, the Bidder's net worth for the last year, calculated as the difference between total assets and total liabilities should be positive.	Must meet requirement	Not applicable	Must meet requirement	Not applicable	Form FIN - 1 with attachments

2.3.2 Average Annual Construction Turnover

Criteria	Compliance Requirements		Documents		
			Joint Venture	Out with a tow	
Requirement	Single Entity	All Partners Combined	Each Partner	One Partner	Submission Requirements
Minimum average annual construction turnover of NRs 275 million ¹ , calculated as total certified payments received for contracts in progress or completed, within best 3 years out of last 7 years.	Must meet requirement	Must meet requirement	must meet 25% of the requirement	must meet 40% of the requirement	Form FIN - 2

Note:

(1)Only the net amount shall be calculated after deducting the amount for VAT and such amount shall be adjusted to present value by applying wholesale price index of Nepal Rastra Bank.

2.3.3 Financial Resources

Criteria	Compliance Requirements			Documents	
	Single	Single Joint Venture			Submission
Requirement	Entity	All Partners Combined	Each Partner	One Partner	Requirements
For Single Entities:	must meet requirement	not applicable	not applicable	not applicable	Form FIN – 3 and Form FIN – 4
The Bidder must demonstrate that its financial resources defined in FIN - 3, less its financial obligations for its current contract commitments defined in FIN - 4, meet or exceed the total requirement for the Subject Contract of NRs. 46,000,000					
For Joint Ventures:	not applicable	not applicable	not applicable	must meet requirement	Form FIN – 3 and Form FIN – 4
(1) One partner must demonstrate that its financial resources defined in FIN - 3, less its financial obligations for its own current contract commitments defined in FIN - 4, meet or exceed its required share of NRs. 18,400,000from the total requirement for the Subject Contract.					
AND (2) Each partner must demonstrate	not	not	must meet	not	Form FIN – 3 and
that its financial resources defined in FIN - 3, less its financial obligations for its own current contract commitments defined in FIN - 4, meet or exceed its required share of 11,500,000 from the total requirement for the Subject Contract.	applicable	applicable	requirement	applicable	Form FIN – 4
AND (3) The joint venture must	not	must meet	not	not	Form FIN – 3 and
demonstrate that the combined financial resources of all partners defined in FIN - 3, less all the partners' total financial obligations for the current contract commitments defined in FIN - 4, meet or exceed the total requirement for the Subject Contract of NRs. 46,000,000	applicable	requirement	not applicable	applicable	Form FIN – 4

2.4 Construction Experience

2.4.1 Contracts of Similar Size and Nature

Criteria		Compliance F	Requirements		Documents
			Joint Venture		Submission
Requirement	Single Entity	All Partners Combined	Each Partner	One Partner	Requirements
Participation as a contractor, Joint Venture partner, or Subcontractor, in at least one contract that has been successfully or substantially completed within the last 5 years and that is similar to the proposed works, where the value of the Bidder's participation exceeds NRs. 165 million The similarity of the Bidder's participation shall be based onmicro/mini/small hydro projects, any irrigation project with construction of headworks and lined irrigation canal and any water supply projects with construction of intakes, water retaining structures, canal or pipe lines.	Must meet requirement	Not applicable	Should have participated in at least one contract that has been successfully or substantially completed within the last five years where the value of the Bidder's participation exceeds NRs. 69 million	Must meet requirement	Form EXP -1

Note:

(1) Only the net amount shall be calculated after deducting the amount for VAT and such amount shall be adjusted to present value by applying wholesale price index of Nepal Rastra Bank

2.4.2 Construction Experience in Key Activities

May be complied with by the Bidder or by Specialist Subcontractor. If Specialist Subcontractors are proposed by the Bidder for key activities, each Specialist Subcontract must have experience in related key activity as a single entity.

If the key activity is to be undertaken by a Specialist Subcontractor, the Employer shall require evidence of the subcontracting agreement from the Bidder.

Criteria	Compliance Requirements		Documents
Requirement	Single Entity or its Specialist Subcontractors	Joint Venture or its Specialist Subcontractors	Submission Requirements
For the above or other contracts executed during the period stipulated in 2.4.1, a minimum construction experience in the following key activities:	Must meet requirement	Must meet requirement	Form EXP – 2
1. Construction of civil work (e.g. Headworks, Headrace Canal, Penstock, Power house) related to hydro power plant of > or = 50 kW each and Cumulative total capacity of Project > or = 400 kW			
2. Supply and installation of all Electro-mechanical equipment for a hydro electric plant of > or = 50 kW each and cumulative total capacity of Project > or = 400 kW			
3. Supply and installation of all Hydromechanical equipment for a hydro electric plant of > or = 50 kW each and communicative total capacity of Project > or = 400 kW			

Section 4: Bidding Forms

Table of Forms

Letter of Technical Bid	4-2
Letter of Price Bid	4-5
Bid Security	4-7
Bid-Securing Declaration	4-8
Affiliate Company Guarantee	4-9
Technical Proposal	4-10
Personnel	4-10
Form PER – 1: Proposed Personnel	
Form PER – 2: Resume of Proposed Personnel	
Equipment	4-12
Site Organization	
Method Statement	
Mobilization Schedule	4-13
Construction Schedule	4-13
Bidder's Qualification	4-14
Form ELI - 1: Bidder's Information Sheet	4-15
Form ELI - 2: Joint Venture Information Sheet	4-16
Form CON - 1: Historical Contract Nonperformance	4-17
Form FIN - 1: Historical Financial Performance	4-18
Form FIN - 2: Average Annual Construction Turnover	4-19
Form FIN - 3: Availability of Financial Resources	4-20
Form FIN - 4: Financial Requirement for Current Contract Commitments	4-21
Form FIN - 5: Self-Assessment Tool for Bidder's Compliance to Financial Resources	4-22
Form EXP - 1: Contracts of Similar Size and Nature	4-23
Form EXP - 2: Construction Experience in Key Activities	4-24
Schedules	4-25
Schedule of Payment Currencies	4-25
Tables of Adjustment Data	4-26
Activity Schedule	4-27
Bill of Quantities	4-28

4-2 Section 4: Bidding Forms

Letter of Technical Bid

The Bidder must accomplish the Letter of Technical Bid on its letterhead clearly showing the Bidder's complete name and address.

Date:	
OCB No.:	
Invitation for Bid No.:	

To: [insert complete name of the Employer]

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB) 8.
- (b) We offer to execute in conformity with the Bidding Documents the following Works: [insert narrative]
- (c) Our Bid consisting of the Technical Bid and the Price Bid shall be valid for a period of [insert bid validity period as specified in ITB 18.1 of the BDS] days from the date fixed for the bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- (d) Our firm, including any Subcontractors or Suppliers for any part of the Contract, have nationalities from eligible countries in accordance with ITB 4.2.
- (e) We, including any Subcontractors or Suppliers for any part of the contract, do not have any conflict of interest in accordance with ITB 4.3.
- (f) We are not participating, as a Bidder, either individually or as partner in a Joint Venture, in more than one Bid in this bidding process in accordance with ITB 4.3(e), other than alternative offers submitted in accordance with ITB 13.
- (g) Our firm, Joint Venture partners, associates, parent company, its affiliates or subsidiaries, including any Subcontractors or Suppliers for any part of the contract, are not subject to, or not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Asian Development Bank or a debarment imposed by the Asian Development Bank in accordance with the Agreement for Mutual Enforcement of Debarment Decisions between the Asian Development Bank and other development banks.¹

These institutions include African Development Bank, European Bank for Reconstruction and Development (EBRD), Inter-American Development Bank (IADB), and the World Bank Group. According to paragraph 9 of the Agreement, other international financial institutions may join upon the consent of all Participating Institutions and signature of a Letter of Adherence by the international financial institution substantially in the form provided (Annex B to the Agreement). Upon adherence, such international financial institution shall become a Participating Institution for purposes of the Agreement. Bidders are advised to check www.adb.org/integrity for updates.

_

(h)	Our firm, Joint Venture partners, associates, parent company, affiliates or subsidiaries, including any Subcontractors or Suppliers for any part of the Contract, are not, or have never been, temporarily suspended, debarred, declared ineligible, or blacklisted by the Employer's country, any international organization, and other donor agency.
	If so debarred, declared ineligible, temporarily suspended, or blacklisted, please state details (as applicable to each Joint Venture partner, associate, parent company, affiliate, subsidiaries, Subcontractors, and/or Suppliers): (i) Name of Institution:
(i)	Our firm's, Joint Venture partners, associates, parent company's affiliates or subsidiaries, including any Subcontractors or Suppliers key officers and directors have not been [charged of convicted] of any criminal offense (including felonies and misdemeanors) or infractions/violations of ordinance which carry the penalty of imprisonment.
	If so charged or convicted, please state details: (i) Nature of the offense/violation: (ii) Court and/or area of jurisdiction: (iii) Resolution [i.e. dismissed; settled; convicted/duration of penalty]: (iv) Other relevant details [please specify]:
(j)	We understand that it is our obligation to notify ADB should our firm, Joint Venture partners, associates, parent company, affiliates or subsidiaries, including any Subcontractors of Suppliers, be temporarily suspended, debarred or become ineligible to work with ADB or any other MDBs, the Employer's country, international organizations, and other donor agencies, or any of our key officers and directors be charged or convicted of any criminal offense or infractions/violations of ordinance which carry the penalty of imprisonment.
(k)	Our firm, Joint Venture partners, associates, parent company, affiliates or subsidiaries, including any Subcontractors or Suppliers, are not from a country which is prohibited to export goods to or receive any payments from the Employer's country by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations.
(I)	[We are not a government-owned enterprise] / [We are a government-owned enterprise but meet the requirements of ITB 4.5] 2
(m)	We have not been suspended nor declared ineligible by the Employer based on execution of a Bid-Securing Declaration in accordance with ITB 4.6.
(n)	We agree to permit ADB or its representative to inspect our accounts and records and other documents relating to the bid submission and to have them audited by auditors appointed by ADB.

Use one of the two options as appropriate.

4-4 Section 4: Bidding Forms

(o) If our Bid is accepted, we commit to mobilizing key equipment and personnel in accordance with the requirements set forth in Section 6 (Employer's Requirements) and our technical proposal, or as otherwise agreed with the Employer.

(p) We understand that any misrepresentation that knowingly or recklessly misleads, or attempts to mislead may lead to the automatic rejection of the Bid or cancellation of the contract, if awarded, and may result in remedial actions, in accordance with ADB's Anticorruption Policy (1998, as amended to date) and Integrity Principles and Guidelines (2015, as amended from time to time).

Name
In the capacity of
Signed
Duly authorized to sign the Bid for and on behalf of
Date

Letter of Price Bid

П	N	IO.	r	Ω
		\mathbf{c}	u)

The Bidder must accomplish the Letter of Price Bid on its letterhead clearly showing the Bidder's complete name and

addre	ss.
	Date:
	OCB No.:
	Invitation for Bid No.:
To: [i	insert complete name of the Employer]
We,	the undersigned, declare that:
(a)	We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB) 8.
(b)	We offer to execute in conformity with the Bidding Documents the following Works: [insert narrative]
(c)	The total price of our Bid, excluding any discounts offered in item (d) below is:
	[amount of foreign currency in words], [amount in figures], and [amount of local currency in words], [amount in figures]
	The total bid price from the Summary of Bill of Quantities for admeasurement contracts or Activity Schedule for lump sum contracts should be entered by the bidder inside this box. Absence of the total bid price in the Letter of Price Bid may result in the rejection of the bid.
(d)	The discounts offered and the methodology for their application are as follows: [insert discounts

- and methodology for their application if any]
- (e) Our Bid shall be valid for a period of [insert bid validity period as specified in ITB 18.1 of the BDS] days from the date fixed for the bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- If our Bid is accepted, we commit to obtain a performance security in accordance with the Bidding Documents.

4-6 Section 4: Bidding Forms

(g)	We have paid, or will pay bidding process or execution		gratuities, or fees wit	h respect to the
	Name of Recipient	Address	Reason	Amount
(h)	We understand that this bid notification of award, shall oprepared and executed.			
(i)	We understand that you are you may receive.	not bound to accept the lov	vest evaluated bid or a	ny other bid that
(j)	We agree to permit ADB or documents relating to the bi ADB.			
Nam	e			
In the	e capacity of			
Signe	ed			
Duly	authorized to sign the Bid for	and on behalf of		
Date				

-

If none has been paid or is to be paid, indicate "None".

Bid Security

Bank Guarantee

[Bank's name, and address of issuing branch or office] 4

Beneficiary:	
Date:	
Bid Security	No.:

We have been informed that [name of the Bidder] (hereinafter called "the Bidder") has submitted to you its bid dated [please specify] (hereinafter called "the Bid") for the execution of [name of contract] under Invitation for Bids No. [please specify] ("the IFB").

Furthermore, we understand that, according to your conditions, bids must be supported by a bid quarantee.

At the request of the Bidder, we [name of bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [amount in words] [amount in figures] upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder

- (a) has withdrawn its Bid during the period of bid validity specified by the Bidder in the Letter of Technical Bid and Letter of Price Bid; or
- (b) does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or
- (c) having been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails or refuses to execute the Contract Agreement, or (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB, or (iii) fails or refuses to furnish the domestic preference security, if required.

This guarantee will expire (a) if the Bidder is the successful Bidder, upon our receipt of copies of the Contract Agreement signed by the Bidder and the Performance Security issued to you upon the instruction of the Bidder; and (b) if the Bidder is not the successful Bidder, upon the earlier of (i) our receipt of a copy your notification to the Bidder of the name of the successful Bidder, or (ii) 28 days after the expiration of the Bidder's bid.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458.5

[Authorized signature(s) and bank's seal (where appropriate)]

All italicized text is for use in preparing this form and shall be deleted from the final document.

Or 758 as applicable.

4-8 Section 4: Bidding Forms

Bid-Securing Declaration

Bid N	[insert date (as day, month and year)] O.: [insert number of bidding process] native No.: [insert identification No if this is a bid for an alternative]
To: [ii	nsert complete name of the Employer]
We, t	he undersigned, declare that:
We u	nderstand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.
Borro the d	accept that we will automatically be suspended from being eligible for bidding in any contract with the ower for the period of time of [insert the number of months or years indicated in ITB 19.2 of the BDS] starting on ate that we receive a notification from the Employer, if we are in breach of our obligation(s) under the onditions, because we
(a)	have withdrawn our Bid during the period of bid validity specified in the Letter of Technical Bid and Letter of Price Bid; or
(b)	do not accept the correction of errors in accordance with the Instruction to Bidders (hereinafter "the ITB"); or
(c)	having been notified of the acceptance of our Bid by the Employer during the period of bid validity, (i) fail or refuse to execute the Contract, if required, (ii) fail or refuse to furnish the Performance Security, in accordance with the ITB, or (iii) fail or refuse to furnish the Domestic Preference Security, if required.
earlie	nderstand this Bid-Securing Declaration shall expire if we are not the successful Bidder, upon the er of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) 28 days after expiration of our Bid.
Signe	ed: [insert signature of person whose name and capacity are shown]
In the	e capacity of [insert legal capacity of person signing the Bid-Securing Declaration]
Name	9: [insert complete name of person signing the Bid-Securing Declaration]
Duly	authorized to sign the bid for and on behalf of [insert complete name of the bidder]
Date	d on day of,,
Corp	orate Seal [where appropriate]

AFFILIATE COMPANY GUARANTEE

Name of Contract/Contract No.: _	
Name and address of Employer:	
[together with successors and assigns].	

We have been informed that [(name of Contractor] (hereinafter called the "Contractor") is submitting an offer for the above-referenced Contract in response to your invitation, and that the conditions of your invitation require its offer to be supported by an affiliate company guarantee.

In consideration of you, the Employer, awarding the Contract to the Contractor, we [name of affiliated company] irrevocably and unconditionally guarantee to you, as a primary obligation, that (i) throughout the duration of the Contract, we will make available to the Contractor our financial, technical capacity, expertise and resources required for the Contractor's satisfactory performance of the Contract; and (ii) we are fully committed, along with the Contractor, to ensuring a satisfactory performance of the Contract.

If the Contractor fails to so perform its obligations and liabilities and comply with the Contract, we will indemnify the Employer against and from all damages, losses and expenses (including legal fees and expenses) which arise from any such failure for which the Contractor is liable to the Employer under the Contract.

This guarantee shall come into full force and effect when the Contract comes into full force and effect. If the Contract does not come into full force and effect within a year of the date of this guarantee, or if you demonstrate that you do not intend to enter into the Contract with the Contractor, this guarantee shall be void and ineffective. This guarantee shall continue in full force and effect until all the Contractor's obligations and liabilities under the Contract have been discharged, when this guarantee shall expire and shall be returned to us, and our liability hereunder shall be discharged absolutely.

This guarantee shall apply and be supplemental to the Contract as amended or varied by the Employer and the Contractor from time to time. We hereby authorize them to agree on any such amendment or variation, the due performance of which and compliance with which by the Contractor are likewise guaranteed hereunder. Our obligations and liabilities under this guarantee shall not be discharged by any allowance of time or other indulgence whatsoever by the Employer to the Contractor, or by any variation or suspension of the works to be executed under the Contract, or by any amendments to the Contract or to the constitution of the Contractor or the Employer, or by any other matters, whether with or without our knowledge or consent.

This guarantee shall be governed by the law of the same country (or other jurisdiction) that governs the Contract and any dispute under this guarantee shall be finally settled under the [Rules or Arbitration provided in the Contract]. We confirm that the benefit of this guarantee may be assigned subject only to the provisions for assignment of the Contract.

Signed by:	Signed by:	
[signature]	[signature	
[name]	[name]	
[position in parent/subsidiary company] Date:	[position in parent/subsidiary company]	

Note -

If permitted in accordance with ITB 32.2 of the BDS, the Bidder shall fill out the Affiliate Company Guarantee Form for each subsidiary, parent entity, affiliate, Subcontractor, etc. that the Bidder submits for consideration of the Employer in determining its qualifications.

4-10 Section 4: Bidding Forms

Technical Proposal

Personnel

Form PER – 1: Proposed Personnel

Bidder should provide the details of the proposed personnel and their experience record in the relevant Information Forms below for each candidate:

1.	Title of position
	Name
2.	Title of position
	Name
3.	Title of position
	Name
4.	Title of position
	Name
etc.	Title of position
	Name

- Note

All titles of positions will be as listed in Section 6 (Employer's Requirements).

Form PER - 2: Resume of Proposed Personnel

The Bidder shall provide all the information requested below. Use one form for each position.

Name	Date of birth
Professional qualifications	
Name of employer	
Address of employer	
Telephone	Contact (manager / personnel officer)
Fax	E-mail
Job title	Years with present employer
	Professional qualifications Name of employer Address of employer Telephone Fax

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

From	То	Company / Project / Position / Relevant Technical and Management Experience

4-12 Section 4: Bidding Forms

Equipment

Form EQU: Equipment

Item of Equipment

The Bidder shall provide adequate information and details to demonstrate clearly that it has the capability to meet the equipment requirements indicated in Section 6 (Employer's Requirements), using the Forms below. A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Bidder.

Equipment Information	Name of manufact	urer		Model and power rating		
	Capacity			Year of manufacture		
Current Status	Current location					
	Details of current of	commitments				
Source	Indicate source of	the equipment				
	☐ Owned	Rented	☐ Leased	☐ Specially manufactured		
Omit the follow	owing information for equipment owned by the Bidder. Name of owner					
	Address of owner					
	Telephone			Contact name and title		
	Fax			Telex		
Agreements	Details of rental / lea	ase / manufacture	e agreements spe	ecific to the project		
	1					

Site Organization		
Method Statement		
Mobilization Schedule		
Construction Schedule		

4-14 Section 4: Bidding Forms

Bidders Qualification

To establish its qualifications to perform the contract in accordance with Section 3 (Evaluation and Qualification Criteria) the Bidder shall provide the following information requested in the corresponding Information Sheets.

Form ELI - 1: Bidder's Information Sheet

	Bidder's Information
Bidder's legal name	
In case of a Joint Venture, legal name of each partner	
Bidder's country of constitution	
Bidder's year of constitution	
Bidder's legal address in country of constitution	
Bidder's authorized representative (name, address, telephone number(s), fax number(s), e- mail address)	
Attached are copies of the following	lowing documents.
1. In case of a single ent	ity, articles of incorporation or constitution of the legal entity named above, in accordance with ITB
2. Authorization to repres	sent the firm or Joint Venture named above, in accordance with ITB 20.2.
3. In case of a Joint Vent	ture, a letter of intent to form a Joint Venture or Joint Venture agreement, in accordance with ITB 4.1.
4. In case of a government ITB 4.5.	ent-owned enterprise, any additional documents not covered under 1 above required to comply with

4-16 Section 4: Bidding Forms

Form ELI - 2: Joint Venture Information Sheet

Each member of the Joint Venture and Specialist Subcontractor must fill out this form separately.

Bidder's legal name
Joint Venture Partner's or Specialist Subcontractor's legal name
Joint Venture Partner's or Specialist Subcontractor's country of constitution
Joint Venture Partner's or Specialist Subcontractor's year of constitution
Joint Venture Partner's or Specialist Subcontractor's legal address in country of constitution
Joint Venture Partner's or Specialist Subcontractor's authorized representative information (name, address, telephone number(s), fax number(s), e-mail address)
Attached are copies of the following documents.
Articles of incorporation or constitution of the legal entity named above, in accordance with ITB 4.1 and ITB 4.2.
Authorization to represent the firm named above, in accordance with ITB 20.2.
3. In the case of a government-owned enterprise, documents establishing legal and financial autonomy and compliance with commercial law, in accordance with ITB 4.5.

Form CON - 1: Historical Contract Nonperformance

Each Bidder must fill out this form in accordance with Criteria 2.2.1 and 2.2.3 of Section 3 (Evaluation and Qualification Criteria) to describe any history of nonperforming contracts and pending litigation or arbitration formally commenced against it.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint	Venture Partner:	

	Table 1: History of Non	performing Contracts	3		
□ N □ B	e of the following: o nonperforming contracts. elow is a description of nonperforming contracts involvin enture).	g the Bidder (or each Joint \	enture member/	f Bidder is a Joint	
Year	Description	Amount of Nonperform Portion of Contract (equivalent)		contract Amount (\$ equivalent)	
[insert year	contract name/ number, and any other identification] Name of Employer: [insert full name] Address of Employer: [insert street/city/country] Reason(s) for nonperformance: [indicate main reason(s)]	[insert amount]	[.	[insert amount]	
Oliver	Table 2: Pending Litiga	ation and Arbitration			
	se one of the following: lo pending litigation and arbitration.				
☐ E	to pending illigation and arbitration. Below is a description of all pending litigation and arbitrations and arbitrations and arbitrations.	on involving the Bidder (or e	each Joint Ventur	e member if Bidder	
Year	Matter in Dispute		Value of Pending Claim in \$ Equivalent	Value of Pending Claim as a Percentage of Net Worth	
[insert year]				[insert amount]	

Note -

Table 2 of this form shall only be included if Criterion 2.2.3 of Section 3 (Evaluation and Qualification Criteria) is applicable.

4-18 Section 4: Bidding Forms

Form FIN - 1: Historical Financial Performance

Each Bidder must fill out this form.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint Venture Partner: _____

Financial Data for Previous Years [\$ Equivalent]				
Year 1:	Year 2:	Year:		

Information from Balance Sheet

Total Assets (TA)			
Total Liabilities (TL)			
Net Worth = TA - TL			
Current Assets (CA)			
Current Liabilities (CL)			
Working Capital = CA - CL			
	<u> </u>	T- b b	
Most Recent		To be obtained for most recent y	

Most Recent	To be obtained for most recent year and carried forward to FIN -
Marishar Canital	3 Line 1; in case of Joint Ventures, to the corresponding Joint
Working Capital	Venture Partner's FIN - 3.

Information from Income Statement

Total Revenues		
Profits Before Taxes		
Profits After Taxes		

- Attached are copies of financial statements (balance sheets including all related notes, and income statements) for the last _____ years, as indicated above, complying with the following conditions.
 - Unless otherwise required by Section 3 of the Bidding Document, all such documents reflect the financial situation of legal entity or entities comprising the Bidder and not the Bidder's parent companies, subsidiaries, or affiliates.
 - Historical financial statements must be audited by a certified accountant.
 - Historical financial statements must be complete, including all notes to the financial statements.
 - Historical financial statements must correspond to accounting periods already completed and audited (no statements for partial periods shall be requested or accepted).

Form FIN - 2: Average Annual Construction Turnover

Each Bidder must fill out this form.

The information supplied should be the Annual Turnover of the Bidder or each member of a Joint Venture in terms of the amounts billed to clients for each year for work in progress or completed, converted to US dollars at the rate of exchange at the end of the period reported.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint Venture Partner:	

	Annual Turnover Data for the Last Years (Construction only)					
Year	Amount Currency	Exchange Rate	NRs. Equivalent			
	Average Annual	Construction Turnover				
	(Best 3 years					

4-20 Section 4: Bidding Forms

Form FIN - 3: Availability of Financial Resources

Bidder must demonstrate sufficient financial resources, usually comprising of Working Capital supplemented by credit line statements or overdraft facilities and others to meet the Bidder's financial requirements for

- (a) its current contract commitments, and
- (b) the subject contract.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint	Venture	Partner:		

No.	Source of financing	Amount (NRs. equivalent)
1	Working Capital (to be taken from FIN - 1)	
2	Credit Line ^a	
3	Other Financial Resources	
	Total Available Financial Resources	

To be substantiated by a letter from the bank issuing the line of credit.

Form FIN- 4: Financial Resources Requirement

Bidders (or each Joint Venture partner) should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint Venture Partner:	
odini venture i artifer.	

	Current Contract Commitments					
No.	Name of Contract	Employer's Contact (Address, Tel, Fax)	Contract Completion Date	Outstanding Contract Value (X) ^a	Remaining Contract Period in months (Y)	Monthly Financial Resources Requirement (X / Y)
1						
2						
3						
4						
		ct Commitments	NRs. 46,000,000 (or equivalent)			

Remaining outstanding contract values to be calculated from 28 days prior to the bid submission deadline (\$ equivalent based on the foreign exchange rate as of the same date).

b Remaining contract period to be calculated from 28 days prior to bid submission deadline.

4-22 Section 4: Bidding Forms

Form FIN - 5: Self-Assessment Tool for Bidder's Compliance to Financial Resources (Criterion 2.3.3 of Section 3)

This form requires the same information submitted in Forms FIN - 3 and FIN - 4. All conditions of "Available Financial Resources Net of CCC ≥ Requirement for the Subject Contract" must be satisfied to qualify.

Form FIN - 5A: For Single Entities

	For Single Entities: (A)	Total Available Financial Resources from FIN – 3 (B)	Total Monthly Financial Requirement for Current Contract Commitments (CCC) from FIN – 4 (C)	Available Financial Resources Net of CCC D = (B - C)	Requirement for the Subject Contract (E)	Results: Yes or No [D must be greater than or equal to E] (F)
((Name of Bidder)					

Form FIN - 5B: For Joint Ventures

For Joint Ventures: (A)	Total Available Financial Resources from FIN – 3 (B)	Total Monthly Financial Requirement for Current Contract Commitments (CCC) from FIN – 4 (C)	Available Financial Resources Net of CCC D = (B - C)	Requirement for the Subject Contract (E)	Results: Yes or No [D must be greater than or equal to E] (F)
One Partner:					
(Name of Partner)					
Each Partner:					
(Name of Partner 1)					
(Name of Partner 2)					
(Name of Partner 3)					
All partners combined		ailable financial resources net of ommitments for all partners	ΣD =		

- Note -

Form FIN-5 is made available for use by the bidder as a self-assessment tool, and by the Employer as an evaluation work sheet, to determine compliance with the financial resources requirement as stated in 2.3.3. Failure to submit Form FIN-5 by the Bidder shall not lead to bid rejection.

Form EXP - 1: Contracts of Similar Size and Nature

Fill up one (1) form per contract.

The exchange rate to be used to calculate the value of the contract for conversion to a specific currency shall be the selling rate of the Borrower's national bank on the date of the contract.

Contract of Similar Size and Nature								
Contract No of	Contract Identification							
Award Date		Completion Date						
Total Contract Amount	NRs.							
If partner in a Joint Venture or Subcontractor, specify participation of total contract amount	Percent of Total	Amount						
Employer's Name Address Telephone/Fax Number E-mail								
Description of the Si	milarity in Accordance w Qualificati	ith Criterion 2.4.1 of Section 3 (Evaluation and on Criteria)						
The contracts of similar size includes construction of micro/mini/small hydro projects, any irrigation project with construction of headworks and lined irrigation canal and any water supply projects with construction of intakes, water retaining structures, canal or pipe lines.								

4-24 Section 4: Bidding Forms

Form EXP - 2: Construction Experience in Key Activities

Fill up one (1) form per contract.

Each Bidder must fill out this form.

If complied by Specialist Subcontractor, each Specialist Subcontractor must fill out this form and provide the Specialist Subcontractor's name:

Specialist	Subcontractor:	
Specialist	Subcontractor.	

Contract wi	th Similar Key Activi	ties
Contract No of	Contract Identification	
Award Date		Completion Date
Total Contract Amount	NRs.	
If partner in a Joint Venture or Subcontractor, specify participation of total contract amount	Percent of Total	Amount
Employer's Name Address Telephone Number Fax Number E-mail		
Description of the Key Activities in According	dance with Criterion lification Criteria)	2.4.2 of Section 3 (Evaluation and
Construction of civil work (e.g. Headworks, Headrace Canal, Penstock, Power house) related to hydro power plant of > or = 50 kW each and Cumulative total capacity of Project t> or = 400 kw	,	
Supply and installation of all Electromechancial equipment for a hydro electric plant of > or = 50 kW each and Cumulative total capacity of Project > or = 400 kw		
Supply and installation of all Hydromechanical equipment for a hydro electric plant of > or = 50 kW each and Cumulative total capacity of Project > or = 400 kw		

Schedules

Schedule of Payment Currencies

For		iI	nser	t name of	Section	n of the VI	/orks										
Separate	tables	may	be	required	if the	various	sections	of	the	Works	(or	of t	the	Bill	of	Quantities) wil

have substantially different foreign and local currency requirements. In such a case, the Employer should prepare separate tables for each Section of the Works.

_	Α	В	С	D
Name of Payment Currency	Amount of Currency	Rate of Exchange to Local Currency	Local Currency Equivalent C = A x B	Percentage of Net Bid Price (NBP) <u>100xC</u> NBP
Local Currency		1.00		
Foreign Currency #1				
Foreign Currency #2				
Foreign Currency #3				
Net Bid Price				100.00
Provisional Sums Expressed in Local Currency		1.00		
BID PRICE				

- Note --

The rates of exchange shall be the selling rates 28 days prior to the deadline for submission of bids published by the source specified in BDS 15.

4-26 Section 4: Bidding Forms




Table B - Foreign Currency

Name of Currency:

[Insert name of currency. If the Bidder wishes to quote in more than one foreign currency, this table should be repeated for each foreign currency.]

		To be entered	by the bidder			
Index Code	Index Description	Source of Index	Base Value and Date	Bidder's Currency in Type/Amount	Equivalent in FC1	Bidder's Proposed Weighting (coefficient)
	Nonadjustable	_	_	_		a: (by Employer) b: c: d: e:
				Total		1.00

-- Notes --

"Base Date" means the date 28 days prior to the deadline for submission of bids.

Tables of Adjustment Data shall only be included if prices are to be quoted as adjustable prices in accordance with ITB 14.5.

Activity Schedule

[Schedules of Prices – Lump Sum Contract]

The Employer shall indicate the list of major activities comprising the works and the number of measurement units consistent with the description of works, drawings, and specifications in Section 6 (Employer's Requirements). Each work item shall be described in sufficient detail to provide clear guidance to Bidders with respect to the type of works, their scope and complexity, and compliance with the required standards.

Bidders are required to enter the prices against each work item on a lump sum basis. Work items against which no lump sum price is entered by the Bidder will not be paid by the Employer when executed and shall be deemed covered by other work items against which the lump sum prices were entered. The sum of prices entered against each work item will represent the total bid price.

The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the Activity Schedule, and where no Items are provided, the cost shall be deemed to be distributed among the Amounts for the related Items of Work.

4-28 Section 4: Bidding Forms

Bill of Quantities [Admeasurement Contract]

Preamble of Bill of Quantities

A. General

- 1. The Bill of Quantities shall be read in conjunction with the Instructions to Bidders, General and Special Conditions of Contract, Technical Specifications, and Drawings.
- 2. The quantities given in the Bill of Quantities are estimated and provisional, and are given to provide a common basis for bidding. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Project Manager and valued at the rates and prices bid in the priced Bill of Quantities, where applicable, and otherwise at such rates and prices as the Project Manager may fix within the terms of the Contract.
- 3. For any item for which measurement is based on records made before or during construction the records shall be prepared and agreed between the Project Manager and the Contractor. Should the Contractor carry out such work without the prior approval of the Project Manager, the Project Manager may request the Contractor to carry out investigations to confirm the extent of the work and the quantity of work certified for payment shall be solely at the Project Manager's discretion. The cost of any such investigation shall be borne by the Contractor.
- 4. The rates and prices bid in the priced Bill of Quantities shall, except as otherwise provided under the Contract, include all construction equipment, labor, supervision, materials, erection, maintenance, insurance, profit, taxes, and duties, together with all general risks, liabilities, and obligations set out or implied in the Contract.
- 5. A rate or price shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
- 6. The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the priced Bill of Quantities, and where no Items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related Items of Work.
- 7. General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bill of Quantities. References to the relevant sections of the Contract documentation shall be made before entering prices against each item in the priced Bill of Quantities. The Specification Clause references where given in the item description of the Bills of Quantities are for the convenience of bidders and generally refer to the principal relevant- specification clause but do not necessarily represent the whole of the specification requirements for the work required within the item. The presence of a Specification clause reference shall not in any way reduce the Bidders obligation to complete work in accordance with all the requirements of the Specification.
- 8. Provisional Sums included and so designated in the Bill of Quantities shall be expended in whole or in part at the direction and discretion of the Project Manager in accordance with the Conditions of Contract.

9. The method of measurement of completed work for payment of civil works shall be admeasurement in accordance with the Specifications.

- 10. For electro mechanical, hydro mechanical equipment and electrical transmission/distribution line, the payment will be included in IPC as follows:
 - i. Up to 75 % of BOQ item cost after site delivery and inspection/acceptance of goods by the Project Manager and could be divided into maximum of two payments.
 - Up to 15% After installation, testing, commissioning and approval of Testing and Commissioning report by the Project Manager
 - iii. Up to 10% after approval/acceptance of Power output Verification (POV) report by the Project Manager
 - iv. Performance guarantee will be released after successful completion of warranty period.
 - v. Payment of operation and maintenance cost will be made as per IPC submitted during O/M period.
- 11. Rock is defined as all materials that, in the opinion of the Project Manager, require blasting, or the use of metal wedges and sledgehammers, or the use of compressed air drilling for their removal, and that cannot be extracted by ripping with a tractor of at least 150 brake hp with a single, rear-mounted, heavy-duty ripper.

B. Day work Schedule

a) General

1. Work shall not be executed on a day work basis except by written order of the Project Manager. Bidders shall enter basic rates for day work items in the Schedules. These rates shall apply to any quantity of day work ordered by the Project Manager. Nominal quantities have been indicated against each item of day work, and the extended total for day work shall, be carried forward as a Provisional Sum to the Summary Total Bid Amount. Unless otherwise adjusted, payments for day work shall be subject to price adjustment in accordance with the provisions in the Conditions of Contract.

b) Day work Labor

- 1. In calculating payments due to the Contractor for the execution of day works, the hours for labor will be reckoned from the time of arrival of the labor at the job site to execute the particular item of day work to the time of departure from the job site, but excluding meal breaks and rest periods. Only the time of classes of labor directly doing work ordered by the Project Manager and are competent to perform such work will be measured. The time of gangers (charge hands) actually doing work with the gangs will also be measured but not the time of foremen or other supervisory personnel.
- 2. The Contractor shall be entitled to payment in respect of the total time that labor is employed on day work, calculated at the basis rates entered by it in the "SCHEDULE OF DAY WORK RATES: 1. LABOR". The rates for labor shall be deemed to cover all costs to the Contractor including (but not limited to) i) the amount of wages paid to such labor, transportation time, overtime, subsistence allowances, ii) any sums paid to or on behalf of such labor for social benefits in accordance with Nepal law, iii) Contractor's profit, overheads, superintendence, liabilities and insurance and iv) charges incidental to the foregoing.

c) Day work Equipment

1. The Contractor shall be entitled to payments in respect of Constructional Plant already on site and employed on day work at the basis rental rates entered by him in the "SCHEDULE OF DAY WORK RATES:2 EQUIPMENT". The said rates shall be deemed to include due and complete allowance for depreciation, interest, indemnity and insurance, repairs, maintenance, supplies, fuel, lubricant, and other consumables and all overhead, profit and administrative costs related to the use of such equipment. The cost of drivers,

4-30 Section 4: Bidding Forms

operators and assistants also shall be included in the rate of the equipment and no separately payment shall be made for it.

2. In calculating the payment due to the Contractor for Constructional Plant employed on day work, only the actual number of working hours will be eligible for payment, except that where applicable and agreed with the Project Manager, the travelling time from the part of the Site where the Construction Plant was located when ordered by the Project Manager to be employed on day work and the time for return journey there to shall be included for payment.

d) Day work Materials

- 1. The Contractor shall be entitled to payment in respect of materials used for day work (except for materials for which the cost is included in the percentage addition to labor costs as detailed heretofore), at the rates entered by him in the "SCHEDULE OF DAY WORK RATES: 3 MATERIALS" and shall be deemed to include overhead charges and profit as follows;
 - (i) the rates for materials shall be calculated on the basis of the invoiced price, freight, insurance, handling expenses, damage, losses, etc. and shall provide for delivery to store for stockpiling at the Site.
 - (ii) the cost of hauling materials for use on work ordered to be carried out as day work, from the store or stockpile on the Site to the place where it is to be used also shall be include in the same rate.

C. Provisional Sums

The Provisional Sum will be used for payment of goods/works to be procured as directed by the Project Manager.

Each Provisional Sum shall only be used, in whole or in part, in accordance with the Project Manager's instructions. The total sum paid to the Contractor shall include only such amounts, for the work, supplies or services to which the Provisional Sum relates, as the Project Manager shall have instructed. For each Provisional Sum, the Project Manager may instruct:

- (a) work to be executed (including Plant, Materials or services to be supplied) by the Contractor
- (b) Plant, Materials or services to be purchased by the Contractor
- (C) The Contractor will be claim actual amounts paid (or due to be paid) by the Contractor, and a sum (10% of Claim amount) for overhead charges and profit, calculated as a percentage of these actual amounts stated in the appropriate Schedule. The Contractor shall, when required by the Engineer, produce quotations, invoices, vouchers and accounts or receipts in substantiation

Bill of Quantities

(Attached herewith)

Saniveri Uttarganga Mini Hydropower Project Putha Uttarganga Rural Municipality, Rukum District Summary of Bidding Cost Capacity 998 kW

	Capacity		kW
S.No	General Summary		Amount NRS
A.	GENERAL ITEMS		
1	Bill NO. 01: GENERAL ITEMS		
В.	CIVIL COMPONENTS		
2	Bill NO. 02: RIVER DIVERSION WORKS DURING CONSTRUCTION		
3	Bill NO. 03 -Weir, Sluice ways and Flood Wall		
4	Bill NO. 04 -INTAKE AND GRAVEL TRAP		
5	Bill NO. 05 -APPROACH CANAL AND SPILL WAY		
6	Bill NO. 06 -SETTLING BASIN WITH FLUSHING CANAL		
7	Bill NO. 07 : HEADRACE CANAL WORKS		
8	Bill NO. 08 : FORBAY WORKS		
9	Bill NO. 09 : PENSTOCK PIPE ALIGNMENT CIVIL WORKS		
10	Bill NO. 10: POWERHOUSE/CONTROL BUILDING		
11	Bill NO. 11: OPERATOR'S RESIDENIAL BUILDING		
12	Bill NO. 12 : TAILRACE CANAL		
13	Bill NO. 13 : SWITCHYARD AT POWERHOUSE		
C.	HYDROMECHANICAL COMPONENT		
14	Bill NO. 14: HYDROMECHANICAL		
E	ELECTROMECHANICAL COMPONENT		
15	Bill NO. 15 : ELECTROMECHANICAL		
F	ENVIRONMENTAL MITIGATION AND MONITORING, PROVISIONAL SUM		
16	Bill NO.16 : ENVIRONMENTAL MITIGATION AND MOINITORING WORKS		
G	SCHEDULE OF DAY WORKS		
17	Bill NO. 17 : SCHEDULE OF DAY WORKS		
G	OPERATION AND MAINTANANCE		
18	Bill NO.18 : OPERATION AND MAINTANANCE		
	Sub Total of Bills	<u> </u>	
	Contengency of I	<u> </u>	6,900,000
	Grand Sub Total (I+II)		
	VAT 13% of III	V V	
	GRAND TOTALS (III + IV)	V	

Bill NO. 01: GENERAL ITEMS

Item	Description	Qty	Unit	Rate NRS.		Amount
				In figures	In words	NRS
101	Mobilization & Demobilizaton Cost including movement of personnel, Contractor's Equipment, Materials, Plant, supplies, to the Project site; establishment of all Contractor's camps and offices or other facilities necessary for starting the Contractor's operations at the site.	LS	1			
	Insurance for loss of or damage to the Works, Plant, and Materials, loss of or damage to Equipment,loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract and personal injury or death as per GCC 19	PS	1	1,500,000	One Million Five Hundred Thousand Rupees and No Paisa	1,500,000
103	Facilities to the Employer (Office equipment i.e. I7 Laptop and A3 Canon laser printer and 500 W Solar power system with all asesories) as per Technical Specification Section I, Part G - Specification of General Item	PS	1	500,000	Five Hundred Thousand Rupees and No Paisa	500,000
104	Laboratory facilities as per Technical Specification Section I- Part G Specification of General Item with establishment of testing laboratory at site including furnishing and supply of testing equipments, apparatus including those for required meteorological measurement as per the Specifications	LS	1			
105	Access Road works for the Subproject Site (Headwork, Powerhouse)	PS	1	1,500,000	One Million Five Hundred Thousand Rupees and No Paisa	1,500,000
			Sub	Total of this Page		
				Total of Bill No. 1		

BIII NO. 02: RIVER DIVERSION WORKS DURING CONSTRUCTION

Item	Description	Qty	Unit		Rate NRS.	Amount
		α.,	0 1 0	In figures	In words	NRS
201	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 100 m including all safety precautions for phase 1. This also includes Making Bunds with river Materials, Supply and laying of Geotextile materials, Dewatering/Draining Works and other works as required.	1.00	LS			
202	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 100 m including all safety precautions for Phase 2. This also includes Removal of Phase 1 River diversion material and other works as specified in Phase 1	1.00	LS			
			Sı	ub Total of this Page		

Ref. Dwg No. :

Item	Description	Qty	Unit		Rate NRS.	Amount
iteiii	Description	Qty		In figures	In words	NRS
301	SITE CLEARANCE					
301.1	Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled	1340.000	m ²			
302	EARTHWORK IN EXCAVATION					
302.1	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions.	4690.000	m ³			
302.2	Excavation and Transport of medium rock including loading and dumping to the disposal area within 50 m including all safety precautions.	100.000	m ³			
302.3	Excavation, Breaking and Transport of large boulder including loading and dumping to the disposal area within 50 m including all safety precautions.	5.000	m ³			
303	BACKFILLING					
303.1	Filling with ordinary soils in 15cm thick layers and hand compaction with sprinkling water	958.950	m ³			

Ref. Dwg No. :

Item	Description	Qty	Unit		Rate NRS.	Amount
	2000	٠.,		In figures	In words	NRS
304	CONCRETE WORK					
304.1	Machine Mixed Concrete works (Supply of materials & haulage dist up to 30 m) in blinding concrete and mass infilling concrete with concrete grade M10	63.000	m ³			
304.2	Machine Mixed Concrete works for the abutement,pier,wall etc including compaction,curing,testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M20	1608.000	m ³			
304.3	Machine Mixed Concrete works for the abutement,pier,wall etc including compaction,curing,testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M25	243.000	m ³			
305	<u>FORMWORK</u>					
305.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer					
305.1.1	Straight formwork upto 5m	2656.390	m ²			
306	REINROCEMENT					
306.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	97698	Kg.			
						-
			Su	b Total of this Page		

Ref. Dwg No. :

Item	Description	Qty	Unit _		Rate NRS.	Amount
iteiii		Qty		In figures	In words	NRS
307	STONE WORK					
307.1	Stone soling works by min. 250 mm stones in the foundation with sand and leveling including haulage	207.260	m ³			
307.2	Rubble masonry works in 1:6 cement mortar including supply of hard stone blocks, preparing cement mortar and construction of wall	658.008	m ³			
307.3	Boulder Concrete with 40% plum and boulder will be additionally 30% at the base of the Stilling basin	1079.000	m ³			
308	Hard Stone Lining Works					
308.1	Providing and laying 0.3m*0.3m*0.3 m hard stone lining at 1:2 Cement Sand Mortar	19.611	m ³			
309	DRY BOULDER RIP RAP					
309.1	1m dia Boulder Riprap from upstream river boulders including transportation, leveling including haulage.	476.000	m ²			
	GABION WOKS MAKING: GABION INCLUDING SUPPLYING OF MATERIALS, PLACING AND FILLING WITH STONES ALL COMPLETE.					
	Box size (3 m x 1 m x 1 m, 2 m x 1 m x 1 m)	6.000	m³			

Ref. Dwg No. :

Item	Description Qf	Qty	Unit		Rate NRS.	Amount
itoiii		α.,		In figures	In words	NRS
311	MISCELLANEOUS					
311.1	Supply delivey and fixing of steel railing with 2" vertival post @ 2 m c/c and hand rail with 1" dia 3 layers horizontal pipe with one coat primer and two coat enamel paints	42.000	rm			
311.2	Supply delivey and fixing of Metal Staircase for access to Undersluice Platform with 2 m width and 1m high handrails.	1.000	LS			
			Su	b Total of this Page		
				Total of Bill No. 2		

Ref. Dwg No.:

BIII NO. 04 -INTAKE AND GRAVEL TRAP

	Description	Otra	l lmi4		Rate NRS.	Amount
Item	Description	Qty	Unit	In figures	In words	NRS
401	EARTHWORK IN EXCAVATION					
401.1	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions.	164.000	m ³			
402	BACKFILLING					
402.1	Filling with ordinary soils in 15cm thick layers and hand compaction with sprinkling water	65.600	m³			
403	CONCRETE WORK					
403.1	Machine Mixed Concrete works (Supply of materials & haulage dist up to 30 m) in blinding concrete and mass infilling concrete with concrete grade M10	13.125	m ³			
403.2	Machine Mixed Concrete works for the abutement,pier,wall etc including compaction,curing,testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M20	145.800	m ³			
			CI	Total of this Page		

Ref. Dwg No.:

BIII NO. 04 -INTAKE AND GRAVEL TRAP

	5	Qty	Unit		Amount	
Item	Description			In figures	In words	NRS
404	FORMWORK					
404.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete as per the Specifications, drawing and instruction of the Engineer					
404.1.1	For straight formwork upto 3 m high	1238.230	m ²			
405	REINFORCEMENT					
405.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	12330	Kg.			
406	STONE WORK					
406.1	Providing and laying of Stone Soling works with 250 mm stones in the foundation and leveling including haulage	43.750	m ³			
407	EXPANSION JOINT					
407.1	Providing and laying of 230 mm Water bars, Joint fillers and Water sealeant all complete	13.000	rm			

Ref. Dwg No.:

BIII NO. 04 -INTAKE AND GRAVEL TRAP

	Daniel de la constante de la c	0.1	11!4		Rate NRS.		
Item	Description	Qty	Unit	In figures	In words	NRS	
408	GABION WOKS MAKING: GABION INCLUDING SUPPLYING OF MATERIALS, PLACING AND FILLING WITH STONES ALL COMPLETE.						
1 408 1	Box size (3 m x 1 m x 1 m or 2 m x 1 m x 1 m)	6.000	m³				

Ref. Dwg No.:

BIII NO. 05 -APPROACH CANAL AND SPILL WAY

	Description	0.1	Unit		Rate NRS.	Amount	
Item		Qty		In figures	In words	NRS	
501	SITE CLEARANCE						
501.1	Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled	50	m²				
502	EARTHWORK IN EXCAVATION						
502.1	Excavation and Transport of soft clay or soil including loading and dumping to the disposal area within 50 m including all safety precautions.		m ³				
502.2	Excavation and Transport of boulder mix soil including loading and dumping to the disposal area within 50 m including all safety precautions.		m ³				
503	BACKFILLING						
503.1	Filling with ordinary soils in 15 cm thick layers and hand compaction (haulage distance 10 m) With sprinkling water	647.515	m³				
504	CONCRETE WORK						
504.1	Machine Mixed Concrete works (Supply of materials & haulage dist up to 30 m) in blinding concrete and mass infilling concrete with concrete grade M10	18.927	${\sf m}^3$				
	1	I	Su	b Total of this Page			

Ref. Dwg No.:

BIII NO. 05 -APPROACH CANAL AND SPILL WAY

	Description		Unit		Rate NRS.	Amount	
Item		Qty		In figures	In words	NRS	
504.2	Machine Mixed Concrete works for the wall and base of approach canal including compaction, curing, testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M20	186	m ³				
505	<u>FORMWORK</u>						
505.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer						
505.1.1	Straight formwork up to 3 m high	1136	m^2				
506	REINROCEMENT						
506.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	10,928	Kg.				
507	STONE WORKS						
507.1	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	63.090	m ³				
			Sı	ıb Total of this Page			

Ref. Dwg No.:

BIII NO. 05 -APPROACH CANAL AND SPILL WAY

	Description	Qty	Unit		Amount	
Item				In figures	In words	NRS
508	EXPANSION JOINT					
508.1	Providing and laying of 230 mm Water bars, Joint fillers and Water sealeant all complete	82	rm			
			Sı			
				Total of Bill No. 5		

Ref. Dwg No. :

BIII NO. 06 -SETTLING BASIN WITH FLUSHING CANAL

	Description	Qty	Unit		Rate NRS.	Amount	
Item				In figures	In words	NRS	
601	EARTHWORK IN EXCAVATION						
601.1	Excavation and Transport of soft soil including loading and dumping to the disposal area within 50 m including all safety precautions.	931.50	m ³				
601.2	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions.	931.50	m ³				
602	BACKFILLING						
602.1	Filling with ordinary soils in 15 cm thick layers and hand compaction (haulage distance 10 m) With sprinkling water	558.90	m³				
603	CONCRETE WORK						
603.1	Machine Mixed Concrete works (Supply of materials & haulage dist up to 30 m) in blinding concrete and mass infilling concrete with concrete grade M10	32.153	m ³				
603.2	Machine Mixed Concrete works for the abutement,pier,wall etc including compaction,curing,testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M20	270.208	m ³				

Ref. Dwg No. :

BIII NO. 06 -SETTLING BASIN WITH FLUSHING CANAL

		Qty	Unit		Amount	
Item	Description			In figures	In words	NRS
604	FORMWORK					
604.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer					
604.1.1	Straight formwork upto 3 m high	862.957	m ²			
605	REINROCEMENT					
605.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	22,264	Kg.			
606	STONE WORKS					
606.1	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	107.175	m ³			
606.2	Rubble masonry works in 1:6 cement mortar including supply of hard stone blocks, preparing cement mortar and construction of wall	168.560	m ³			
607	EXPANSION JOINT					
607.1	Providing and laying of 250 mm Water bars, Joint fillers and Water sealeant all complete	44	Rm			

Ref. Dwg No. :

BIII NO. 06 -SETTLING BASIN WITH FLUSHING CANAL

	Description	_			Amount	
Item		Qty	Unit	In figures	In words	NRS
608	MISCELLANEOUS					
	Barbed wire fencing works with five rows and two					
	diagonal barbed wires and column at 2m spacing					
608.1	size of conc poles is 100 mm * 150 mm * 2100 mm	100	rm			
	including a wooden gate all complete with locking					
	system					
	Supply delivey and fixing of steel railing with 2"					
608.2	vertival post @ 2 m c/c and hand rail with 1" dia 3	10	rm			
000.2	layers horizontal pipe with one coat primer and two	10				
	coat enamel paints					
	GABION WOKS MAKING: GABION INCLUDING					
609	SUPPLYING OF MATERIALS, PLACING AND					
	FILLING WITH STONES ALL COMPLETE.					
609.1	Box size (2 m x 1 m x 1 m)	4.00	m ³			
				Sub Total of this Page		
				Total of Bill No. 6		

BIII NO. 07: HEADRACE CANAL WORKS

Ref. Dwg No. :

Description	Qty	Unit		Rate NRS.	Amount	
			In figures	In words	NRS	
SITE CLEARANCE						
Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled	900	m ²				
EARTHWORK IN EXCAVATION						
Excavation and Transport of soft soil including loading and dumping to the disposal area within 50 m including all safety precautions.	300	m ³				
Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions.	1063	m ³				
Excavation and Transport of Soft to medium Rock including loading and dumping to the disposal area within 20 m including all safety precautions.	200	m ³				
Excavation and Transport of large boulder including loading and dumping to the disposal area within 50 m including all safety precautions.	5	m ³				
	Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled EARTHWORK IN EXCAVATION Excavation and Transport of soft soil including loading and dumping to the disposal area within 50 m including all safety precautions. Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions. Excavation and Transport of Soft to medium Rock including loading and dumping to the disposal area within 20 m including all safety precautions. Excavation and Transport of large boulder including loading and dumping to the disposal area within 50 m	SITE CLEARANCE Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled EARTHWORK IN EXCAVATION Excavation and Transport of soft soil including loading and dumping to the disposal area within 50 m including all safety precautions. Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions. Excavation and Transport of Soft to medium Rock including loading and dumping to the disposal area within 20 m including all safety precautions. Excavation and Transport of large boulder including loading and dumping to the disposal area within 50 m Excavation and Transport of large boulder including loading and dumping to the disposal area within 50 m	SITE CLEARANCE Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled EARTHWORK IN EXCAVATION Excavation and Transport of soft soil including loading and dumping to the disposal area within 50 m including all safety precautions. Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions. Excavation and Transport of Soft to medium Rock including loading and dumping to the disposal area within 20 m including all safety precautions. Excavation and Transport of large boulder including loading and dumping to the disposal area within 50 m	SITE CLEARANCE Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled EARTHWORK IN EXCAVATION Excavation and Transport of soft soil including loading and dumping to the disposal area within 50 m including all safety precautions. Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions. Excavation and Transport of Soft to medium Rock including loading and dumping to the disposal area within 20 m including all safety precautions. Excavation and Transport of large boulder including loading and dumping to the disposal area within 50 m including loading and dumping to the disposal area within 50 m	Description Qty Unit In figures In words	

BIII NO. 07: HEADRACE CANAL WORKS

Ref. Dwg No. :

	Description	Qty	Unit		Rate NRS.	Amount	
Item				In figures	In words	NRS	
703	BACKFILLING						
703.1	Filling with ordinary soils in 15 cm thick layers and hand compaction (haulage distance 10 m) With sprinkling water	469.00	m³				
704	CONCRETE WORK						
704.1	Machine Mixed Concrete works (Supply of materials & haulage dist up to 30 m) in blinding concrete and mass infilling concrete with concrete grade M10	66.420	m ³				
704.2	Machine Mixed Concrete works for the abutement,pier,wall etc including compaction,curing,testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M20	488.00	m³				
705	FORMWORK						
705.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer						
705.1.1	Straight formwork upto 3 m high	3985.20	m ²				
				b Total of this Page			

Ref. Dwg No. :

BIII NO. 07: HEADRACE CANAL WORKS

		Qty	Unit		Amount	
Item	Description			In figures	In words	NRS
706	REINFORCEMENT					
706.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	35,259	kg			
707	STONE WORK					
	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	221.40	m ³			
	Providing and Laying of Dressed / Rubble stone masonry with 1:6 cement sand mortar mortar with haulage distance upto 10m	20.00	m³			
708	EXPANSION JOINT					
	Providing and laying of 230 mm Water bars, Joint fillers and Water sealeant all complete	156.80	RM			
			Su	b Total of this Page		

Ref. Dwg No. :

BIII NO. 07: HEADRACE CANAL WORKS

14	Description	Qty	Unit		Amount	
Item				In figures	In words	NRS
709	GABION WORKS					
709.1	Supplying Gabion box and Boulder and filling into Gabion box including placing in position tying Gabion by tightening wire closing from top all complete. :					
709.1.1	Box size (2 m x 1 m x 1 m, 3 m x 1 m x 1 m)	6.00	m ³			
			Sı			

Ref. Dwg No. :

BIII NO. 08: FORBAY WORKS

	Description	Qty	Unit		Rate NRS.					
Item				In figures	In words	NRS				
801	EARTHWORK IN EXCAVATION									
	Excavation and Transport of soft clay or soil including loading and dumping to the disposal area within 50 m including all safety precautions.	592.00	m ³							
801.2	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions.	200.00	m ³							
802	BACKFILLING									
802.1	Filling with ordinary soils in 15 cm thick layers and hand compaction (haulage distance 10 m) With sprinkling water	237.60	m³							
803	STONE WORK									
803.1	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	44.508	m ³							
803.2	Rubble masonry works in 1:6 cement mortar including supply of hard stone blocks, preparing cement mortar and construction of wall	19.430	m ³							
	Sub Total of this Page									

Ref. Dwg No. :

Bill NO. 08: FORBAY WORKS

	5				Rate NRS.	Amount	
ltem	Description	Qty	Unit	In figures	In words	NRS	
804	CONCRETE WORK						
804.1	Machine Mixed Concrete works (Supply of materials & haulage dist up to 30 m) in blinding concrete and mass infilling concrete with concrete grade M10	13.352	m ³				
804.2	Machine Mixed Concrete works for the wall and base of tank including compaction,curing,testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M20	164.860	m ³				
805	FORMWORK						
805.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer						
805.1.1	Straight formwork upto 3 m high	729.370	m ²				
806	REINFORCEMENT						
806.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	12,957	kg				
807	EXPANSION JOINT						
807.1	Providing and laying of 230 mm Water bars, Joint fillers and Water sealeant all complete	31.20	RM				
				ub Total of this Page			

Ref. Dwg No. :

BIII NO. 08: FORBAY WORKS

	Description		11.24		Rate NRS.	Amount
Item		Qty	Unit	In figures	In words	NRS
808	MISCELLANEOUS					
808.1	Barbed wire fencing works with five rows and two diagonal barbed wires and column at 2m spacing ,size of conc poles is 100 mm * 150 mm * 2100 mm including a wooden gate all complete with locking system	20.00	rm			
808.2	Supply Deliver and installation of 3 Nos. of 0.45m Dia. HDPe Pipe laying for Spillway including 20 m perforated HDPE pipe for Flusing arrangement with necessary accessories.	152.00	rm			
808.3	Supply Deliver and installation of Sluice Valve of diameter 0.45m with complete accessories required	1.00	LS			
			S	ub Total of this Page		
				Total of Bill No.8		

Ref. Dwg No. :

Bill NO. 09: PENSTOCK PIPE ALIGNMENT CIVIL WORKS

					Rate NRS.	Amount	
Item	Description	Qty	Unit	In figures	In words	NRS	
901	SITE CLEARANCE						
901.1	Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled	583.00	m²				
902	EARTHWORK IN EXCAVATION						
902.1	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions.	1021.40	m ³				
902.2	Excavation and Transport of Soft/medium Rock including loading and dumping to the disposal area within 20 m including all safety precautions.	20.00	m ³				
903	BACKFILLING WORKS						
	Filling with ordinary soils in 15 cm thick layers and hand compaction (haulage distance 10 m) With sprinkling water	625.00	m³				
904	CONCRETE WORKS						
904.1	Machine Mixed Concrete works (Supply of materials & haulage dist up to 30 m) in blinding concrete concrete with concrete grade M10	15.425	m ³				
			Sı	l ub Total of this Page			

Ref. Dwg No. :

Bill NO. 09: PENSTOCK PIPE ALIGNMENT CIVIL WORKS

				Rate NRS.		Amount	
Item	Description	Qty	Unit	In figures	In words	NRS	
904.2	Providing and Laying machine mixed Concrete grade M15 (Nominal mixed 1:2:4) with skin reinforcement concrete and 40% plum inside		m ³				
905	<u>FORMWORK</u>						
905.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer						
905.1.1	For straight formwork 5 m high	302.87	m ²				
906	REINFORCEMENT						
906.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	6,247	kg				
	OTONE WORK						
907	STONE WORK						
907.1	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	25.68	m ³				
907.2	Providing and Laying of Dressed / Rubble stone masonry with 1:6 cement sand mortar mortar with haulage distance upto 10m	138.60	m³				
<u> </u>							
			Su	ıb Total of this Page			
				Total of Bill No.9			

Ref. Dwg No. :

ltom	Description	Qty	Unit		Rate NRS.		
Item	Description			In figures	In words	NRS	
1001	SITE CLEARANCE						
1001.1	Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled	282.75	m ²				
1002	<u>EARTHWORK</u>						
1002.1	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions.	407.47	m ³				
1002.2	Breaking boulder with breaker for boulder size more than 1.5 m size or using chemicals as per requirements.	10.00	m ³				
1003	COMPACTED BACKFILLING						
1003.1	Compacting soils by roller in 20 cm thick layers- Using RCC hand roller	208.73	m³				
1004	CONCRETING WORK						
1004.1	Machine Mixed Concrete works (Supply of materials & haulage dist up to 30 m) in blinding concrete concrete with concrete grade M10	20.41	m ³				
			Sı	ub Total of this Page			

Ref. Dwg No. :

Item	Description	Qty	Unit		Amount	
iteiii			Ullit	In figures	In words	NRS
1004.2	Machine Mixed Plum concrete - 40% plum (Supply of materials & haulage dist up to 30 m) Concrete grade M15	17.64	m ³			
1004.3	Machine Mixed Concrete works for the column, foundation, beam corbel, machine foundation etc including compaction,curing,testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M20	197.89	m³			
1005	FORMWORK					
1005.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer					
005.1.1	For straight formwork 5 m high	679.59	m ²			
1006	REINFORCEMENT					
1006.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	22,103.00	kg			
			61	ı ıb Total of this Page		

Ref. Dwg No.:

ltom	Description	Qty	Unit		Amount	
Item	Description			In figures	In words	NRS
1007	BLOCK CONCRETE MASONARY WORKS					
1007.1	Providing and Laying Block Masonary wall in 1:4 c/s mortar in line and plumb as per drawign, specification and instruciton of the engineer.	65.88	m ²			
1008	STONE WORK					
1008.1	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	61.86	m³			
1008.2	Providing and Laying of Dressed / Rubble stone masonry with 1:6 cement sand mortar mortar with haulage distance upto 10m	21.72	m³			
1009	PLASTERING WORKS					
1109.1	Providing and applying 20 mm thick cement plaster including mortar mixing, scaffolding, curing etc complete as per specification lead 30 m (manual mixing), Cement sand: 1:4	818.795	m ²			
			Sı	ıb Total of this Page		

Ref. Dwg No. :

ltom	Description	Qty	Unit		Rate NRS.	Amount	
Item				In figures	In words	NRS	
1010	DOOR & WINDOW OPENINGS						
1010.1	Providing , Febricating and Installation of Sal wood Frame works for doors and windows with all complete	0.618	m³				
1010.2	Supplying, Providing , Febricating and Installation of Pannel door Shutter of 38 mm solid core	1.725	m²				
1010.3	Providing , Febricating and Installation of glazed Shutter with 4mm thick float glass in 38 x 75 mm sisauwood frame for Windows (based on shutter size 1.829 x 1.22 = 2.23 sqm)	11.088	m²				
1011	ROOFING						
	Providing 3mm thick PPMA Coating and mesh (Regular) UPVC Corrugated Roofing sheet (Red Color) with Self Tapping, Srews 3" Clip, bitumen washers including UPVC sheet at ridge all complete Sunrise brand or equivalent.	220.00	m ²				
			Sı	ıb Total of this Page			

Ref. Dwg No. :

Description	Qty	Unit		Amount	
			In figures	In words	NRS
Manufacture, supply and Fixing of steel roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification	1018.47	kg	_		
steel purlins for roof truss	2519.21	kg			
PAINTING WORKS					
With two coats of Primer and 2 coats of distemper at internal surface	403.018	m²			
With two coats of Primer and 2 coats of Weathercoat at exterior surface	415.778	m ²			
MISCELLANEOUS					
Supply, erection and installation of mild steel rollling shutters with all required accessories and support, two coats of paint, complete in all respects with approval from Engineer	18.00	m²			-
Supply and installation of wooden flush ply ceiling with wooden frame including all necessary materials	177.75	m^2			-
	Manufacture, supply and Fixing of steel roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification Manufacture, supply and Fixing of steel purlins for roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification PAINTING WORKS With two coats of Primer and 2 coats of distemper at internal surface With two coats of Primer and 2 coats of Weathercoat at exterior surface MISCELLANEOUS Supply, erection and installation of mild steel rollling shutters with all required accessories and support, two coats of paint, complete in all respects with approval from Engineer Supply and installation of wooden flush ply ceiling with wooden frame	Manufacture, supply and Fixing of steel roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification Manufacture, supply and Fixing of steel purlins for roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification PAINTING WORKS With two coats of Primer and 2 coats of distemper at internal surface With two coats of Primer and 2 coats of Weathercoat at exterior surface MISCELLANEOUS Supply, erection and installation of mild steel rollling shutters with all required accessories and support, two coats of paint, complete in all respects with approval from Engineer Supply and installation of wooden flush ply ceiling with wooden frame	Manufacture, supply and Fixing of steel roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification Manufacture, supply and Fixing of steel purlins for roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification PAINTING WORKS With two coats of Primer and 2 coats of distemper at internal surface With two coats of Primer and 2 coats of Weathercoat at exterior surface MISCELLANEOUS Supply, erection and installation of mild steel rollling shutters with all required accessories and support, two coats of paint, complete in all respects with approval from Engineer Supply and installation of wooden flush ply ceiling with wooden frame 177.75 m²	Manufacture, supply and Fixing of steel roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification Manufacture, supply and Fixing of steel purlins for roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification PAINTING WORKS With two coats of Primer and 2 coats of distemper at internal surface With two coats of Primer and 2 coats of Weathercoat at exterior surface MISCELLANEOUS Supply, erection and installation of mild steel rollling shutters with all required accessories and support, two coats of paint, complete in all respects with approval from Engineer Supply and installation of wooden flush ply ceiling with wooden frame 177.75 m²	Manufacture, supply and Fixing of steel roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification Manufacture, supply and Fixing of steel purlins for roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification PAINTING WORKS With two coats of Primer and 2 coats of distemper at internal surface With two coats of Primer and 2 coats of Weathercoat at exterior surface MISCELLANEOUS Supply, erection and installation of mild steel rollling shutters with all required accessories and support, two coats of paint, complete in all respects with approval from Engineer Supply and installation of wooden flush ply celling with wooden frame 177.75 m²

Ref. Dwg No.:

Itom	Description	Qty	Unit		Amount	
Item	Description			In figures	In words	NRS
1013.3	Provision for toilet with RCC Roofing (a pan with flushing system, wash basin, pipes and fittings for above,1000lt WaterTank, 6" dia HDP pipe, and septic tank of size 2*1.5*1.5m with stone masonry and RCC cover including excavation, backfilling etc) all complete as per Drawing and Specification.	1.0	LS			
1013.4	Drainage and landscaping works at the Powerhouse site as per direction from site engineer or as provided in drawings and specification	1.00	LS			
1013.5	Barbed wire fencing works with five rows and two diagonal barbed wires and column at 2m spacing ,size of conc poles is 100 mm * 150 mm * 2100 mm including a wooden gate all complete with locking system	125.00	rm			
			Sı	ıb Total of this Page		
				Total of Bill No.10		

Ref. Dwg No.:

ltom	Description	Qty	Unit		Amount	
Item				In figures	In words	NRS
1101	SITE CLEARANCE					
	Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled	90.440	m²			
1102	<u>EARTHWORK</u>					
1102.1	Excavation and Transport of boulder mixed soil including loading and dumping to the disposal area within 50 m including all safety precautions.	88.850	m ³			
1103	COMPACTED BACKFILLING					
	Compacting soils by roller in 20 cm thick layers- Using RCC hand roller	44.426	m³			
1104	STONE WORK					
1104.1	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	14.614	m³			
			Sı	ıb Total of this Page		

Ref. Dwg No. :

Item	Description	Qty	Unit		Rate NRS.	Amount
Item				In figures	In words	NRS
1104.2	Providing and Laying of Dressed / Rubble stone masonry with 1:6 cement sand mortar mortar with haulage distance upto 10m	104.988	m³			
1105	CONCRETING WORK					
	Providing and Laying machine mixed Concrete Grade M10 (Nominal mix 1:3:6) for (Supply of materials & haulage dist up to 30 m) in blinding concrete	9.717	m ³			
1105.2	Providing and Laying Machine Mixed Concrete works for the column, foundation, beam corbel, machine foundation etc including compaction,curing,testing and lead 30 m etc. all complete as per the specifications and drawings Concrete grade M20 (1:1.5:3)	8.638	m³			
1106	FORMWORK					
1106.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer					
	1	<u> </u>	Sı	ub Total of this Page		

Ref. Dwg No. :

Item	Description	Qty	Unit		Rate NRS.	Amount
Item				In figures	In words	NRS
1106.1.1	For straight formwork upto 5 m high	49.362	m ²			
1107	REINFORCEMENT					
	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	475	kg			
1108	PLASTERING WORKS					
1108.1	Providing and applying 20 mm thick cement plaster including mortar mixing, scaffolding, curing etc complete as per specification lead 30 m (manual mixing), Cement sand: 1:4	135.188	m²			
1109	DOOR & WINDOW OPENINGS					
1109.1	Providing , Febricating and Installation of Sal wood Frame works for doors and windows with all complete	1.841	m³			
1109.2	Supplying, Providing , Febricating and Installation of Pannel door Shutter of 38 mm solid core	3.808	m ²			
		•	Sı	b Total of this Page		

Ref. Dwg No.:

Item	Description	Qty	Unit		Rate NRS.	Amount	
iteiii				In figures	In words	NRS	
1109.3	Making and fitting 4mm glazed shutter in 38 x 75 mm Sal wood frame for window	9.03	m ²	_			
1110	POINTING WORKS						
1110.1	Providing and pointing of Flush ruled Pointing works of 20 mm thick 1:3 cement sand mortar	107.948	m ²				
1011	ROOFING						
1011.1	Providing 3mm thick PPMA Coating and mesh (Regular) UPVC Corrugated Roofing sheet (Red Color) with Self Tapping, Srews 3" Clip, bitumen washers including UPVC sheet at ridge all complete Sunrise brand or equivalent.	116.80	m²				
1011.2	Manufacture, supply and Fixing of steel roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification	321.92	kg				
1011.3	Manufacture, supply and Fixing of steel purlins for roof truss (including nut bolts, primer paints completed in all respects) as per drawings and specification	814.68	kg				
			_	ıb Total of this Page			

Ref. Dwg No.:

Itom	Description	Otre	Unit		Rate NRS.	Amount
ltem	Description	Qty	Unit	In figures	In words	NRS
1012	PAINTING WORKS					
1012.1	With two coats of Primer and 2 coats of distemper at internal surface	135.188	m ²			
1013	MISCELLANEOUS					
1013.1	Supply, erection and installation of metalic name plates of project and cooperative with approval from Engineer	1.0	LS			-
1013.2	Supply and installation of 50 x 75 mm size wooden frame (600 x 900 mm for flush ceiling (4 mm commercial ply) including all necessary materials as per instruction of site engineer.	76.755	m²			-
1013.3	Provision for toilet with RCC Roofing (a pan with flushing system, wash basin, pipes and fittings for above,1000lt WaterTank, 6" dia HDP pipe, and septic tank of size 2*1.5*1.5m with stone masonry and RCC cover including excavation, backfilling etc) all complete	1.0	LS			
			Sı	ıb Total of this Page		
				Total of Bill No.11		

Ref. Dwg No.:

BIII NO. 12: TAILRACE CANAL

	Description	Qty	Unit		Rate NRS.		
ltem				In figures	In words	NRS	
1201	SITE CLEARANCE						
1201.1	Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled	80.00	m ²				
1202	EARTHWORK IN EXCAVATION						
1202.1	E/W in excavation in Gravel Boulder Mix Soil (GBMS) with 1.5 m lift & 10 m lead as per instruction	81.00	m ³				
1202.2	Breaking boulder with breaker for boulder size more than 1.5m diameter.	5.00	m ³				
1203	COMPACTED BACKFILLING						
	Backfilling with ordinary soils in 15 cm thick layers and hand compaction with sprinkling water	17.20	m³				
1204	CONCRETING WORK						
	Providing and Laying Machine Mixed Concrete M10 Concrete blinding (Nominal mix 1:3:6) in level surface with 30m haulage distance.	6.30	m ³				
			Sı	b Total of this Page			

Ref. Dwg No.:

BIII NO. 12: TAILRACE CANAL

• 4		Qty	Unit		Rate NRS.	Amount
Item	Description			In figures	In words	NRS
1204.2	Providing and Laying Machine Mixed M20 Concrete (Design mix 1:1.5:3) for RCC wall and base of tailrace including compaction,curing,testing and lead 30 m etc. all complete as per the specifications	8.03	m ³			
1205	REINFORCEMENT					
1205.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	504	Kg.			
1206	FORMWORK					
1206.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer					
1206.2	For straight formwork upto 3 high	31.20	m ²			
1207	STONE WORK					
	<u> </u>		Sı	ub Total of this Page		

Ref. Dwg No. :

BIII NO. 12: TAILRACE CANAL

.,	Description	04.4	Unit		Rate NRS.	Amount
Item		Qty		In figures	In words	NRS
1207.1	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	21.00	m³			
1207.2	Providing and Laying of Dressed / Rubble stone masonry with 1:6 cement sand mortar mortar with haulage distance upto 10m	101.99				
1000						
1208	GABION WORKS					
1208.1	Gabion Works- Making gabion including supply of materials, placing and filling with stones all complete					
	Box size (2 m x 1 m x0 .5 m, 2 m x 1 m x 1 m)	10.00	m ³			
			Sı	ub Total of this Page		
				Total of Bill No.12		

Ref. Dwg No.:

BIII NO. 13: SWITCHYARD AT POWERHOUSE

	Description	Qty	Unit		Rate NRS.	Amount
Item				In figures	In words	NRS
1301	SITE CLEARANCE					
1301.1	Preparation of construction area by clearing, grubbing and stripping. Tree trunks, bushes and shrubs to be loaded, transported, dumped and stockpiled	73.500	m ²			
1302	EARTHWORK IN EXCAVATION					
1302.1	E/W in excavation in Gravel Boulder Mix Soil (GBMS) with 1.5 m lift & 10 m lead as per instruction	11.870	m ³			
1303	GRAVEL FILLING WORKS					
1303.1	Providing Preparing and Laying of aggregate of size 10mm to 40 mm, size as pre instruction by the engineer.	11.025	m³			
1304	STONE WORK					
1304.1	Preparation of sub grade formation and Dry stone soling of 250mm thick stone with leveled surface as per design and drawings.	2.863	m³			
1305	CONCRETING WORK					
1000	JOHONE I IIIO WORK		Sı	ıb Total of this Page		

Ref. Dwg No.:

BIII NO. 13: SWITCHYARD AT POWERHOUSE

•4	.	Qty	Unit		Rate NRS.	Amount
Item	Description			In figures	In words	NRS
1305.1	Providing and Laying Machine Mixed Concrete M10 Concrete blinding (Nominal mix 1:3:6) in level surface with 30m haulage distance.	1.618	m ³			
1305.2	Providing and Laying Machine Mixed M20 Concrete (Design mix 1:1.5:3) for RCC wall and base of tailrace including compaction, curing, testing and lead 30 m etc. all complete as per the specifications	7.794	m ³			
1306	REINFORCEMENT					
1306.1	Providing and laying reinforcement including cutting, bending, binding, fixing in position and all complete works as per the Drawings, Specifications and instruction of the Engineer	428	Kg.			
1307	FORMWORK					
1307.1	Providing, preparing and installing formwork including necessary supports and removing after completion and all complete works as per the Specifications, drawing and instruction of the Engineer					
1307.2	For straight formwork upto 3 m high	22.575	m²			
			Sı	ub Total of this Page		

Ref. Dwg No.:

BIII NO. 13: SWITCHYARD AT POWERHOUSE

•4		-	Unit		Rate NRS.	Amount
Item	Description	Qty		In figures	In words	NRS
1308	STONE WORK					
1308.1	Providing and Laying of Dressed / Rubble stone masonry with 1:6 cement sand mortar mortar with haulage distance upto 10m	4.524	m³			
1309	MISCELLANEOUS					
	Fabrication of chain link mess of size 2" x 2" of 10 gauge with 3" x 3" angle support at interval of 2 m c/c of height 2 m from Ground level including 2m entrance gate.	36	m			
1309.2	Sanitary works including flusihing pipes, valves and different sanitary items as per instruction by site engineer.	1	LS			
			Sı	ıb Total of this Page		
				Total of Bill No.13		

BIII NO. 14: HYDROMECHANICAL

.,	Description	Qty	Unit		Rate NRS.	Amount
Item	Description			In figures	In words	NRS
1400	Design, Supply, Installation, Surperpertechnical specification	ervision, Tes	sting an	d Commissioning	testing of the Hydromechanical compl	ete set of Eqipments as
1403	MS Penstock Pipe with 1100 mm internal Dia. and other Mechanical works					
1403.1	MS Penstock pipe Pipe 5 mm thick with 1100mm internal dia.including bends	12,828	kg			
1403.2	MS Penstock pipe Pipe 6 mm thick with 1100mm internal dia.including bends	26,266	kg			
1403.3	MS Penstock pipe Pipe 8 mm thick with 1100mm internal dia.including bends	9,859	kg			
	MS Branch Penstock Pipe 10 mm thick with 850 mm internal dia. including bifurcation	2,280	kg			
1403.5	Gravel Flushing pipe at gravel trap of dia 500mm with 4mm thick	1,168	kg			
1403.6	C-Clamp with HDP Wear plate	44.00	Nos.			
1403.7	Expansion joints: 1100 mm internal dia.	8.00	sets			
1403.8	Pressure Gauge	1.00	set			
1403.9	MS Air Vent pipe , 620 mm dia. at end of Forbay	1.00	Set			
1404	Gates & Accessories					
		·		Sub Total of this Page		

Bill NO. 14: HYDROMECHANICAL

	5	O4	111:4		Rate NRS.	Amount
Item	Description	Qty	Unit	In figures	In words	NRS
	Intake Gate, Vertical wheel type Electrical Operated System (1.7m x 1.0m) (WXH) 2 set with its guide frames, hoist and their accessories with all electric equiptment including require length of wire	2,537	kg			
1404.2	Coarse Trash rack (for 1.7 m x 2.50 m Complete 2 set with 16 Dia bars @ 100 c/c spcing including its frame and their accessories	1,275	Kg			
1404.3	Under Sluice Gate, Vertical wheel type Electric Operated (2.5m x 2.5m) (WXH) complete 1 set of Gate with its guide frames, hoist and their accessories with all electric equiptment including require length of wire	2,188	Kg			
1404.4	Stop log infront of Undersluice (2.5 x 2.5) (WxH) complete 1 set with its guide frames, hoist and their accessories complete set	1,875	kg			
1404.5	Desender/Settling Basin for Inlet Gate , Vertical wheel type Electrical Operated System (1.2m x 1.5m) (WXH) complete 2 set of Gate with its guide frames, hoist and their accessories	2,000	kg			
1404.6	Desender/Settling Basin Flushing Gate (0.5m x 0.5m) (WXH) complete 2 set of Gate with its guide frames, hoist and their accessories	1,100	Kg			
1404.7	Desender/Settling Basin Outlet Gate, Electric Operated (3.5m x 1.5m) (WXH) complete 2 set of Gate with its guide frames, hoist and their accessories	5,775	Kg			
1404.7	complete 2 set of Gate with its guide	5,775		Sub Total of this Page		

BIII NO. 14: HYDROMECHANICAL

	-	Otro	Unit		Rate NRS.	Amount
Item	Description	Qty		In figures	In words	NRS
	Forbay Inlet Gate, Electrically Operated of Size (1.5m x 1.5m) (WXH) complete 1 set of Gate with its guide frames, hoist and their accessories with all electric equiptment including require length of wire	788	Kg			
	Fine Trash rack (6 m x 2.5 m) (for Forbay outlet) One Complete set with its frame and their accessories	2,970	kg			
1404.10	Tailrace Stoplog(1.20m x 1.0m) (WxH) complete 2 set with its guide frames, hoist and their accessories	720	kg			
	Butterfly Gate Valve with 400 Dia compelete Set	1.00	Set			
	Gravel trap Flushing Sluice Valve of 500 Dia 1 complete set with all accessories	1.00	Set			
			;	Sub Total of this Page		
				Total of Bill No.14		

BIII NO. 15: ELECTROMECHANICAL

Item	Description	Otre	Unit		Rate NRS.		
	Description	Qty	Unit	In figures	In words	NRS	
1501	Design, Supply, Delivery and Installation of Electromechanical Components complete Set which should have performed 5 years successfully including Transportation upto the site with Specification mentioned below (A1.1 to A1.10)	1	Set				
A.1.1	Turbine-Generator Units @ 2 Lot						
A.1.1.1	Horizontal Francis Turbine with inlet valve, casing, guide vanes with associated auxiliary and ancillary equipments in complete set to develop rated output of 590 kW at rated net head 51.70m and rated discharge 1.2 m3/sec, 750 RPM.The product must be from the following reputed brands. (ANDRITZ or VOITH or GEPPERT or FLOVEL or BHEL or EFG Turbien, CINK or Schimmer)						
а	Turbine Casing with Stay vans, foundation materials all complete with accessories						
b	Transition pipe with all complete accessories						
С	Wicket Gate with assembly with accessories						
d	· Side Cover, Labyrinth seal, shaft seals, etc. with accessories						
е	Turbine Generator shaft coupling system all complete.						
f	Fly wheel complete with protection system						

Bill NO. 15: ELECTROMECHANICAL

Item	Description	Qty	Unit		Rate NRS.	Amount
			Unit	In figures	In words	NRS
A.1.2	Inlet Valve: Main Inlet Valve @ 2 Compleete Set with hydraulic operated and closing by counter weight, branch pipe to connect with penstock and turbine with necessary control & operation arrangements, fittings, mountings and other ancillary equipment's in complete set.Electric Motor Operated. (ANDRITZ or VOITH or GEPPERT or FLOVEL or BHEL or EFG Turbien, CINK or Schimmer)					
A.1.3	Governing System:Digital Type @ 2 complete set having PID and PLC Function consisting of controller and hydraulic servo system complete as per specifications. The product must be from the following reputed brands. (ANDRITZ, VOITH,GEPPERT, FLOVEL,BHEL, EFG Turbien, CINK or Schimmer)					
A.1.4						
A.1.5	Synchronous Generator @ 2 lot					

Bill NO. 15: ELECTROMECHANICAL

Item	Description	Otv	Unit		Amount	
	Description	Qty	Unit	In figures	In words	NRS
	Synchronous generator with rating of 650 kVA, 0.4kV, 3 phase, 0.8 pf, 50 Hz ±3%, class 'F' insulation, 8 Pole, 750 RPM, brussless excitation, terminal equipment like neutral grounding Trasnformer and accessories CT's, PTs, LA/SC and other auxiliary system with contineous duty and 10% contineously overload capacity all complete. The product must be from the following reputed brands. (ANDRITZ or VOITH or GEPPERT or FLOVEL or BHEL or EFG Turbien, CINK or Schimmer)					
A.1.6	Auxillary equipment					
а	Electrically Operated Travelling(EOT) crane 15 t system complete with accessories @ 1 Lot complete set					
b	Fire fighting System all complete 5 sets 7Kgs CO2 fire extinguisher @ 1 Lot Complete Set					
С	Illumunation and Ventilating System @ 1 Lot Complete set					
A.1.7	Control Panel					
A.1.7.1	Turbine Generator Control Panel @ 2 lot complete Set					
	The turbine generator control panel consists of Turbine Control, generator control, excitation control, synchronization unit, auxiliaries load control with all the metering. The breakdown details are mentioned below.(ABB,Siemens,CG,SCHNEIDER,GE,Fuji or equivalnet)					

Bill NO. 15: ELECTROMECHANICAL

Item	Description	Qty	Unit		Rate NRS.		
	Description		Onit	In figures	In words	NRS	
a)	Turbine Control,Protection,Metering, Instrumentation and Annunciation Panel (relays shall be as per single line diagram)						
b)	Excitation control /Unit control board with AVR / Auto Power Factor Control Panel all complete with accessories(Generator Excitation System)						
c)	Generator Control panel, ACB breaker panel with control,metering, protection all complete						
d)	Automatic synchronizing panel complete with accessories compatible for the generating units						
A.1.7.2	LTAC(0.4kV) Panel and DC Distribution Cubicles. The switchgears must be from ABB,Siemens,CG,SCHNEIDER,GE,Fuji or equivalent. @ 1 Lot Complete set						
A.1.7.3	11kV Line Breaker Panel(Transformer Breaker) complete with over current relay, earth fault relay, master trip relay, metering devices indoor type The switchgears must be from ABB,Siemens,CG,SCHNEIDER,GE,Fuji or equivalent. 1 Lot Complete Set						
	Outdoor Switchyard Equipment						
A.1.8.1	Transformer:1500 kVA, 50 Hz, 3 Phase, 0.4/11 kV Setup Power Transformer with Buchholz relay, sudden gas pressure release valve, temperature rise relay, differential relay with complete accessories inlcuding neutral CT. @ 1 Complete Set						

Bill NO. 15: ELECTROMECHANICAL

Item	Description	Otv	Unit		Rate NRS.	Amount	
	Description	Qty	Unit	In figures	In words	NRS	
A.1.8.2	11 kV, 800 A, 25 kA Vacuum Circuit Breaker cubicle complete with all accessories. The product must be from the following reputed brands @ 1 Complete Set						
A.1.8.3	11 kV, 630 A Disconnecting Switches without earth switch complete with all accessories @ 1 Complete Set						
	11 kV, 630 A Disconnecting Switches with earth switch complete with all accessories @ 1 Complete Set						
A.1.8.5	9 kV, 10 kA, Lightining arrester outdoor station type with surge monitor @ 2 Complete Set						
A.1.8.6	11 kV, Current transformer 2 complete set 150/1- 1-1 A, 5P20, 20 VA, 0.5 , 20 VA.						
A.1.8.7	11kV, Potential transformer complete set with power fuse protection 11000/sqrt(3)/110/sqrt (3)/110/sqrt(3). @ 2 Complete Set						
A.1.8.8	Galvanized steel structure for , busbar gantry and equipment (e.g. CB, CT, PI, LA, isolators) for 11kV System supporting frame complete with bolts, nuts and all accessories. @ 1 Lot Complete Set						
	Busbars, conductors and different connectors to complete the specified scope of works. @ 1 Lot Complete Set						
A.1.8.10	Necessary jointing kits @ 1 Lot Complete Set						

Bill NO. 15: ELECTROMECHANICAL

Item	Description	Qty	Unit		Rate NRS.	Amount	
	Description		Unit	In figures	In words	NRS	
	Earthing System to connect Switchyard Equipment to existing earth to achieve less than 1 Ohm with all complete. @ 1 Lot Complete Set						
A.1.9	DC & UPS System						
	DC Power Source, 100V, 200Ah NiCd Batteris with Charger System having redundant SCR Units. @ 1 lot complete set						
A.1.10	Cables						
	1.1 kV Copper armoured power & Control Cables for Powerhouse & Switchyard Complete, Water level sensor cable and all termination and jointing kit to complete the scope of work (The rating of the cable is done as per the current rating of the connecting equipments). @ 1 Lot complete set						
1502	Spare parts for above (Provisional Sum) as per Section 6, Technical Specification	1	Provisional Sum (PS)	4,000,000	Four Million Rupees and No Paisa	4,000,000	
				ıb Total of this Page			
				Total of Bill No.15			

BIII NO.16: ENVIRONMENTAL MITIGATION AND MOINITORING WORKS

Item	Description	Qty Un	Unit		Rate NRS.	Amount
			Onit	In figures	In words	NRS
1601	Environmental Mitigation and Monitoring Works, Provisional Sum	Provisional Sum (PS)	1	500,000	Five Hundred Thousand Rupees and No Paisa	500,000
			Sı	ıb Total of this Page		

BIII NO. 17: SCHEDULE OF DAY WORKS

		Unit			Rate NRS.	Amount	NRS.
Item	Description		Quantity	In figures	In words		
1701	LABOR						
1701.1	Skilled Labour	Person/days	1				
1701.2	Semi Skilled Labour	Person/days	1				
1701.3	Unskilled Labour	Person/days	1				
1701.4	Security Gaurd	Person/month	1				
1701.5	Helper Mechanics	Person/month	1				
1701.6	Light Vehicle Driver	Person/days	1				
1701.7	Runner	Person/days	1				
1701.8	Survey Helper	Person/days	1				
1701.9	Welder	Person/days	1				
1702.10	Supervisor	Person/days	1				
1702.11	Foreman	Person/days	1				
1702.12	Heavy Vehicle Driver	Person/days	1				
	MATERIALS						
1702.1	Cement Ordinary Portland or equivalent in 50 kg bag	bags	1				
	Local Chimeny Bricks	Nos.	1				
1702.3	Block Stone	cum.	1				
1702.4	Crushed mixed Aggregates	cum.	1				
1702.5	Different Sizes of River Bed Screening river Pebbles	cum.	1				
1702.6	River Bed Sand	cum.	1				
1702.7	Different Sizes TMT Bar						

BIII NO. 17: SCHEDULE OF DAY WORKS

					Rate NRS.	Amount	NRS.
Item	Description	Unit	Quantity	In figures	In words		
	a) 8 mm dia	kg	1				
	b) 10,12,16,20, 25mm dia	kg	1				
	c) 28,32 mm dia	kg	1				
1702.8	Different Sizes TOR Steel						
	a) 8mm dia TOR steel	kg	1				
	b) 10-25mm TOR steel	kg	1				
	c) 28-32mm TOR steel	kg	1				
1702.9	Different Sizes TOR Steel						
	a) 4.75, 7 mm dia	kg	1				
1702.10	Binding Wire	kg	1				
1702.11	Different type of wood						
	Sal wood	cum	1				
	Local soft Wood	cum.	1				
1702.12	CGI Sheets 24 swg	sqm.	1				
1702.13	Barbed Wire						
	12 guage commercial,Medium duty	kg	1				
1703	EQUIPMENTS (Including Driver/Operator, Feul)						
1703.1	Light Vehicle (Car, Jeep)	Day	1				
1703.2	Excavator, Wheel (Upto 110 HP)	Hr.	1				
1703.3	Excavator, Track (Upto 110 HP)	Hr.	1				
1703.4	Fork Lift Truck (Upto 2.5 ton)	Hr.	1				
•		•	Sub total fo	or this page			

BIII NO. 17: SCHEDULE OF DAY WORKS

					Rate NRS.	Amount	NRS.
Item	Description	Unit	Quantity	In figures	In words		
1703.5	Generator* (Upto 10 KVA)	Hr.	1				
1703.6	Generator* (10+ to 30 KVA)	Hr.	1				
1703.7	Water Pump (Upto 4" DIA)	Hr.	1				
1703.8	Roller 3, Wheel (Upto 12 ton)	Hr.	1				
1703.9	Truck, Flat Bed/ Crane (Upto 7 ton)	Hr.	1				
1701.10	Mini Truck	Hr.	1				
1704.11	Tractor (Upto 85 HP)	Hr.	1				

BIII NO.18: OPERATION AND MAINTANANCE

Item	Description	Otv	Unit		Rate NRS.	Amount
item	Description	Qty	Ollit	In figures	In words	NRS
1801	Remuneration					
1801.1	Manager	12	Provisional Sum/ Person/ Month	50,000	Fifty Thousand Rupees and No Paisa	600,000
1801.2	Operator (3 nos.)	36	Provisional Sum/ Person/ Month	30,000	Thirty Thousand Rupees and No Paisa	1,080,000
1801.3	Office Assistant (1 no.)	12	Provisional Sum/ Person/ Month	18,000	Eighteen Thousand Rupees and No Paisa	216,000
1801.4	Peon (1 no.)	12	Provisional Sum/ Person/ Month	28,000	Twenty Eight Thousand Rupees and No Paisa	336,000
1802	Miscellaneous (For 12 months operation)	1	Lump Sum			
			Su			
			<u> </u>			

Section 5 - Eligible Countries

No nationality restrictions apply, other than any restrictions arising from ITB 4.7